



United States  
Department of  
Agriculture

Agricultural  
Marketing  
Service

TOB-FL-37

April 1994

Washington, DC

# Tobacco Market Review

## Flue-Cured, 1993 Crop



## Contents

	Page
<b>Review of the 1993 Marketing Season . . . . .</b>	<b>4</b>
<b>Summary of standard flue-cured tobacco grades . . . . .</b>	<b>5</b>
<b>Table</b>	
1. Allotted sales opportunities compared to producers' sales, 1993 crop . . . . .	6
2. Initial and final designation of the 1993 crop . . . . .	7
3. Opening and closing dates, and number of warehouse firms by type, state, and market . . . . .	8-9
4. Movement of tobacco across state lines . . . . .	10
5. Producers' sales, value, and average price by types, 1988-93 crops . . . . .	10
6. Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1988-93 crops . . . . .	11
7. Producers' sales, value, and average price by type, state, and market . . . . .	12-13
8. Gross sales, value, and average price by type, state, and market . . . . .	14-15
9. Resales, average price, and percentage of gross sales by type, state, and market . . . . .	16-17
10. Rank of markets by volume of producers' sales, by separate types and by all types, 1993 crop . . . . .	18
11. Season average prices and support rates by individual grades, per 100 pounds . . . . .	19-21
12. Average prices by weeks for representative grades and season averages--Type 11 . . . . .	22-23
13. Average prices by weeks for representative grades and season averages--Type 12 . . . . .	24-25
14. Average prices by weeks for representative grades and season averages--Type 13 . . . . .	26-27
15. Average prices by weeks for representative grades and season averages--Type 14 . . . . .	28
16. Warehouse charges by states, 1993 crop . . . . .	29
17. Average weight per lot, 1988-93 crops . . . . .	29
18. Tobacco received by the Stabilization Corporation, 1990-93 crops . . . . .	29
19. Percentage distribution by groups and types, 1989-93 crops . . . . .	30
20. Percentage distribution by qualities and types, 1989-93 crops . . . . .	30
21. Percentage distribution by colors and types, 1989-93 crops . . . . .	31
22. Percentage distribution by groups, qualities, and colors for types 11-14, 1989-93 crops . . . . .	31
23. Percentage distribution by grades and types, 1993 crop . . . . .	32-33
24. Percentage breakdown of marketings by selected groupings, 1993 and 1992 crops . . . . .	33
25. Group averages by maturity, 1993 crop . . . . .	33
26. Percentage distribution by grades for all types, 1991-93 crops . . . . .	34-35
27. Average price by grade groups and types, 1993 and 1992 crops . . . . .	35

## REVIEW OF THE 1993 MARKETING SEASON

Unfavorable weather and a decrease in demand were major factors for the 1993 crop of flue-cured tobacco. A wet early spring, that hampered transplanting, was followed by dry and extremely hot weather. Rains that came as markets were ready to open, turned the crop green again and delayed harvesting. The overall result was a significant decrease in quality and maturity, as well as lower averages. Poundage was about normal. Demand was fairly good the first few weeks, when primings, lugs, and carry-over leaf were on floors, but declined rapidly after mid-August. This caused averages by grade for lower stalk offerings to be higher than 1992 levels, while most upper stalk tobacco was lower than the previous year. Also, loan receipts were up sharply, with some types having the highest percentage under loan on record. Early auctions contained an estimated 66.5 million pounds of carry-over tobacco. There was no change in the basic quota at 891.8 million pounds, with the effective quota down by 1.1 percent to 889.0 million.

**SALES AND AVERAGES.** Producers' sales for 1993 totaled 892.1 million pounds, down 1.0 percent from 1992. The general average price of \$168.65 was down \$4.14 from the 1992 figure of \$172.79. These figures are based on auction sales only, including carry-over tobacco, and do not reflect assessments. Total value of producers' sales was \$1,504.5 million, down 3.4 percent from the 1992 return of \$1,557.1 million.

**GRADE AVERAGES.** Averages for ripe leaf (B) grades were mostly \$1 to \$2 lower than 1992 levels, while unripe leaf lost mainly \$6 to \$13 per hundred. Smoking leaf (H) dropped \$1 to \$4, with \$1 to \$3 gains recorded for most cutters (C). Lugs (X) showed twice as many gains as losses, with most variations \$1 to \$4 per hundred. Primings (P) gained generally \$5 to \$9, with nondescript (N) grades mixed, ranging from \$24 lower to \$19 higher. The practical top bid was considered to be \$186, down \$1 from the 1992 figure.

**COMPOSITION OF OFFERINGS.** Quality was down for the 1993 crop. Sales classed as good tobacco or better dropped 12 percentage points, while low and poor combined for a similar gain. Percentages were: good quality or better 14.6; fair 57.8; low 21.9; and poor quality 2.0 percent. Composition by groups showed a few less cutters on floors with more lugs. Percentages by group were: leaf 63.3; smoking leaf 1.8; cutters 5.6; lugs 15.9; primings 9.7; and nondescript 3.4 percent. Sales in premature to mellow colors dropped to 59.9 percent compared to 71.0 last season. Unripe and immature categories climbed to 36.4 percent. Old and Middle Belt markets had 67.6 percent grading premature to mellow, followed by South Carolina and Border North Carolina at 65.0, Georgia-Florida at 55.1; and Eastern North Carolina at 52.4 percent. The three heaviest volume grades and their percentages were: B4K (14.9); B5K (7.8); and B4KM (6.3). Completing the top ten grades were: B4KF (4.8); B4KR (4.4); B3K (4.4); P4F (3.9); X4F (3.8); B5KF (3.1); and X4KM (2.5). These ten grades accounted for 55.9 percent of all auctions for the 1993 season.

**LOAN RATES.** Loan rates by grades for the 1993 crop were based on an average support level of \$1.577 per pound,

compared to \$1.560 for 1992. The Flue-Cured Stabilization Corporation continued to deduct one cent per pound from the support price to offset overhead costs. The support level for 1994 was announced at \$1.583 per pound by the Secretary of Agriculture in December 1993.

**STABILIZATION RECEIPTS.** The amount of tobacco placed under loan rose sharply. For the 1993 crop, 204.8 million pounds or 23.0 percent of net sales were delivered to the Stabilization Corporation, compared to 81.3 million pounds or 9.0 percent from the 1992 crop. Percentages of loan receipts by group follow:

GROUP	1993	1992*
Leaf (B)	80.9	54.9
Smoking leaf (H)	2.7	3.1
Cutters (C)	2.3	6.7
Lugs (X)	10.8	22.1
Primings (P)	2.3	11.7
Mixed (M)	**	**
Nondescript (N)	0.9	0.2

\*Revised from the 1992 Flue-Cured Review.

\*\* Less than one-tenth of one percent.

**MARKETING REGULATIONS.** The marketing of flue-cured tobacco is regulated by the grower designation plan, which began in 1974. In 1993, the "no-net-cost" assessment was 0.2115 cents per pound for growers, and 2.2115 cents for purchasers. The "marketing assessment" was 1.577 cents per pound, shared equally. These assessments totaled 4.0 cents per pound with growers paying 1.0 cent and purchasers 3.0 cents. For the 1992 crop, the total of assessments was 2.0 cents, shared equally by producers and buyers. Growers were required to certify that any pesticides (including plant regulators, defoliants, or desiccants) they used had been approved by the Environmental Protection Agency (EPA), and that they had not planted a discount variety. The USDA-ASCS checked for compliance by random sampling. The 1993 user fee for grading services of the USDA-AMS Tobacco Division remained at 70 cents per hundred pounds.

**PRELIMINARY 1994 INFORMATION.** The 1994 basic marketing quota was announced by the Secretary of Agriculture in December 1992. The quota was set at 802.6 million pounds, down the maximum amount of 10.0 percent. The Agricultural Adjustment Act of 1938, as amended by legislation approved on August 10, 1993, limited the reduction of the 1994 basic quota to no more than 10 percent of the amount of such quota in the preceding year. The 1994 figure would have decreased 44 percent otherwise. The 1994 effective quota is expected to be 799.0 million pounds, down 89 million from 1993. The national acreage allotment is down about 10 percent to 384,387 acres, while the yield goal remains at 2,088 pounds per acre. The "marketing assessment" for 1994 will be 0.7915 cents per pound on both growers and buyers, for a total of 1.583 cents per pound. The "no net cost" assessment will be 2.2085 cents for growers and 4.2085 cents per pound for buyers. This means these assessments total 3.0 cents for the producer and 5.0 cents for the buyer.

## SUMMARY OF STANDARD FLUE-CURED TOBACCO GRADES 1/

### Key to Standard Grademarks for Flue-cured Tobacco

Groups	Qualities		Color symbols	Combination symbols
B - Leaf	1 - Choice	L - Lemon	KL - Variegated lemon	XL - Lug side
H - Smoking leaf	2 - Fine	F - Orange	KF - Variegated orange	PO - Oxidized primings
C - Cutters	3 - Good	FR - Orange red	KD - Variegated dark red	XO - Oxidized lugs or cutters
X - Lugs	4 - Fair	R - Red	KV - Variegated greenish	BO - Oxidized leaf or smoking leaf
P - Primings	5 - Low	K - Variegated	KM - Variegated mixed	GL - Thin-bodied nondescript
M - Mixed	6 - Poor	KR - Variegated red or scorched	G - Green	GF - Medium-bodied nondescript
N - Nondescript		V - Greenish	GR - Green red	LP - Lemon (primings side)
S - Scrap		LL - Whitish-lemon	GK - Green variegated	FP - Orange (primings side)
			GG - Gray green	KK - Excessively scorched
		Special factor	Special symbol	
		W - Wet	S - Slick	
		U - Unsound		
		Sand or Dirt		

Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming side.

### Individual flue-cured grades

63 Grades of Leaf:	Leaf--Continued:	Cutters--Continued:	Lugs--Continued:
B1L	B3KD	C4LL	X3KM
B2L	B4KD	C5LL	X4KM
B3L	B5KD	C5LP	X4GK
B4L	B6KD	C1F	X4G
B5L	B4KV	C2F	X5G
B6L	B5KV	C3F	10 Grades of Primings:
B1F	B6KV	C4F	P2L
B2F	B3KM	C5F	P3L
B3F	B4KM	C5FP	P4L
B4F	B5KM	C4KR	P5L
B5F	B6KM	C4V	P2F
B6F	B3KK	C4S	P3F
B1FR	94KK	C4KL	P4F
B2FR	B5KK	C4KF	P5F
B3FR	36KK	C4KM	P4G
B4FR	B4G	C4KK	P5G
B5FR	B5G	C4G	7 Grades of Mixed: 2/
B6FR	B6G	C4GK	M4F
B5R	B5GR	26 Grades of Lugs:	M5F
B3K	B4GK	X1L	M4KR
B4K	B5GK	X2L	M4KM
B5K	B6GK	X3L	M5KM
B6K	B5GG	X4L	M4GK
B3KR	10 Grades of Smoking leaf:	X5L	M5GK
B4KR	H3F	X3LL	13 Grades of Nondescript:
B5KR	H4F	X4LL	N1L
B3V	H5F	X1F	N1XL
B4V	H6F	X2F	N1K
B5V	H4FR	X3F	N1R
B3S	H5FR	X4F	N1GL
B4S	H6FR	X5F	N1GF
B5S	H4K	X3KR	N1KV
B3KL	H5K	X4KR	N1GR
B4KL	H6K	X3V	N1GG
B5KL	23 Grades of Cutters:	X4V	N1PO
B6KL	C1L	X3S	N1XO
B3KF	C2L	X4S	N1BO
B4KF	C3L	X4KL	N2
B5KF	C4L	X4KF	
B6KF	C5L	X4KV	

1/ Tobacco not covered by the standard grades is designated "No-G", "No-G-F" or "No-G-Nested".

2/ Suspended for the 1987 and 1988 crops.

**Table 1...Allotted sales opportunities compared to producers' sales, 1993 crop 1/**

Week ending	Marketing area A		Marketing area B		Marketing area C		Marketing area D		Marketing area E		Total flue-cured 2/		
	Sets of buyers	Sales opport.	Prod. sales	Sets of buyers	Prod. sales	Sets of buyers	Prod. sales	Sets of buyers	Prod. sales	Sets of buyers	Prod. sales	Sets of buyers	Prod. sales
1,000 pounds													
July 22	7	5,132	4,798	12	22	3	12					56 3/	5,132
July 29	10,266	9,880	12,939	9,087	15,606	16,453						38,811	35,420
Aug. 5	10,259	8,645	17,248	9,598	31,166	27,158	4,544	5,147	16,776	18,216	79,993	68,764	
Aug. 12	10,266	8,154	17,248	11,826	31,148	23,847	4,544	4,309	16,771	11,023	79,977	59,159	
Aug. 19	10,363	6,743	17,346	12,296	31,632	22,999	4,554	2,596	16,842	8,087	80,737	52,721	
Aug. 26	10,363	8,782	17,346	14,663	31,632	24,394	4,554	3,478	16,842	8,744	80,737	60,061	
Sep. 2	9,980	9,131	16,700	16,537	30,295	28,843	4,376	3,847	16,257	11,873	77,608	70,231	
Sep. 9	7,500	7,483	12,527	12,650	22,791	22,615	3,305	3,323	12,196	11,623	58,319	57,694	
Sep. 16	9,396	9,439	15,516	15,612	28,243	28,247	4,147	4,224	15,176	14,607	72,478	72,129	
Sep. 23	9,382	9,375	15,564	15,619	28,178	28,193	4,147	4,216	15,158	14,856	72,429	72,259	
Sep. 30	9,444	9,441	15,596	15,704	28,368	28,572	4,161	4,222	15,222	15,026	72,791	72,965	
Oct. 7	9,448	9,634	15,615	15,882	28,356	28,755	4,161	4,234	15,228	15,247	72,808	73,752	
Oct. 14	7,699	7,143	12,784	12,991	24,114	24,951	3,220	3,299	12,677	12,694	60,494	61,078	
Oct. 21	10,372	5,232	17,132	16,481	32,006	26,150	4,321	4,162	16,871	16,903	80,702	68,928	
Oct. 28	10,824	805	18,195	10,482	33,936	12,818	4,480	2,635	18,171	14,179	85,606	40,919	
Nov. 4		4/ 1,162		4/ 3,888		4,480	1,533		18,171	8,490	22,651	15,073	
Nov. 10				4/ 784		4/ 612			4/ 3,550		4/ 686		
Nov. 18												4/ 686	
	Closed 10-27-93	Closed 11-03-93		Closed 11-10-93		Closed 11-12-93			Closed 11-16-93				

1/ Based on grower designation. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-cured Tobacco Advisory Committee.

2/ Producers' sales derived from weekly market news reports.

3/ Number of sets reduced as markets close.

4/ Sales opportunity was not predetermined, but limited to 450,000 pounds per day per set of buyers.

**Table 2.--Initial and final designation of the 1993 crop 1/**

Market	Initial	Final	Market	Initial	Final
Marketing area A			Marketing area C		
Georgia:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Alma	12,449,780	12,946,625	Ahoskie	5,347,490	4,960,015
Blackshear	8,889,344	9,147,587	Cart-Aber	10,300,727	10,733,540
Claxton	5,763,176	5,747,796	Clinton	14,377,582	15,828,180
Douglas	13,470,795	14,126,152	Dunn	5,024,965	4,153,817
Haz-Bax	0	0	Farmville	22,577,595	23,612,933
Metter	0	0	Fuquay-Varina	19,614,234	20,108,242
Moultrie	12,001,343	12,165,363	Goldsboro	27,075,095	28,790,284
Nashville	9,613,024	10,002,423	Greenville	32,572,586	32,835,813
Ocila-Fitz	2,027,846	1,904,031	Kinston	44,278,100	45,914,855
Pelham	8,960,600	8,746,659	Robersonville	5,928,424	5,922,992
Statesboro	4,851,473	4,909,445	Rocky Mount	11,039,970	11,393,392
Tifton	2,295,889	2,258,758	Sanford	8,378,132	8,304,450
Val-Hira	9,798,839	9,674,872	Smithfield	31,016,414	33,974,297
Vidalia	8,822,686	8,815,042	Wallace	5,488,293	5,931,887
Total Georgia	98,944,795	100,444,753	Wendell	2,935,517	3,090,441
Florida:			Williamston	10,555,308	10,768,516
Lake City	6,713,843	6,754,388	Wilson	76,589,593	80,776,163
Live Oak	8,927,514	8,591,473	Windsor	10,107,969	10,394,685
Madison	3,111,430	3,095,430	Total area C:	343,207,994	357,494,502
Total Florida	18,752,787	18,441,291			
Total area A:	117,697,582	118,886,044			
Marketing area B			Marketing area D		
South Carolina:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Conway	6,076,471	6,685,716	Henderson	13,229,207	13,284,793
Darl-Tim	11,460,668	11,512,595	Louisburg	20,514,357	21,497,284
Hemingway	7,579,510	8,330,849	Oxford	11,112,116	11,185,769
Kingstree	7,933,689	8,514,702	Warrenton	8,051,297	7,620,545
Lake City	31,946,865	32,591,130	Total area D:	52,906,977	53,588,391
Loris	7,307,555	7,392,452			
Mullins	30,987,401	32,574,902			
Total S.C.	103,292,159	107,602,346			
North Carolina:					
Chadbourn	5,147,076	5,749,062			
Clarkton	8,603,924	8,895,145			
Fair Bluff	3,584,650	3,876,472			
Fairmont	26,961,972	27,872,591			
Lumberton	15,013,946	15,730,095			
Tabor City	10,351,210	11,482,352			
Whiteville	13,180,376	16,170,741			
Total N.C.	82,843,154	89,776,458			
Total area B:	186,135,313	197,378,804			
Marketing area E					
South Carolina:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Burl-Meb	5,507,221	5,548,238	Burl-Meb	5,507,221	5,548,238
Mt. Airy	11,101,742	11,496,705	Mt. Airy	11,101,742	11,496,705
Reidsville	16,069,413	15,976,977	Reidsville	16,069,413	15,976,977
Roxboro	15,899,341	16,032,295	Roxboro	15,899,341	16,032,295
Stone-Mad	10,487,272	10,879,794	Stone-Mad	10,487,272	10,879,794
Winston-Salem	37,366,113	37,924,662	Winston-Salem	37,366,113	37,924,662
Total N.C.	96,431,102	97,858,671	Total N.C.	96,431,102	97,858,671
Virginia:			Virginia:		
Chase City	3,880,264	3,699,048	Chase City	3,880,264	3,699,048
Clarksville	8,224,282	9,022,996	Clarksville	8,224,282	9,022,996
Danville	44,531,426	46,757,324	Danville	44,531,426	46,757,324
Kenbridge	1,593,956	1,470,099	Kenbridge	1,593,956	1,470,099
Lawrenceville	7,750,909	8,023,170	Lawrenceville	7,750,909	8,023,170
South Boston	18,662,463	18,337,750	South Boston	18,662,463	18,337,750
South Hill	8,215,194	8,340,640	South Hill	8,215,194	8,340,640
Total Virginia	92,858,494	95,651,027	Total Virginia	92,858,494	95,651,027
Total area E:	189,289,596	193,509,698	Total area E:	189,289,596	193,509,698
Total flue-cured	889,237,462	920,857,439	Total flue-cured	889,237,462	920,857,439

1/ Growers allowed to designate 103 percent of their effective quota.

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market

Type 11 - Old and Middle Belt flue-cured

States and markets	1993				1992			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
Virginia:			Number	Number			Number	Number
Chase City	Aug. 03	Nov. 08	16	3	July 23	Oct. 27	15	3
Clarksville	Aug. 02	Nov. 08	33	3	July 22	Oct. 28	33	3
Danville 1/	Aug. 02	Nov. 16	59	6	July 22	Oct. 29	56	6
Kenbridge	Aug. 11	Nov. 03	7	2	July 28	Oct. 27	8	2
Lawrenceville	Aug. 03	Nov. 04	26	2	July 23	Oct. 22	26	2
South Boston	Aug. 02	Nov. 11	55	6	July 22	Nov. 2	57	6
South Hill	Aug. 02	Nov. 09	27	4	July 22	Oct. 29	28	4
Total Virginia			26				26	
North Carolina:								
Burl-Meb	Aug. 04	Nov. 09	20	2	July 23	Oct. 27	19	2
Cart-Abr	July 28	Nov. 04	46	3	July 21	Oct. 15	29	3
Fuquay-Varina	July 28	Nov. 03	54	4	July 21	Oct. 15	49	4
Henderson	Aug. 02	Nov. 09	41	4	July 22	Oct. 22	39	4
Louisburg	Aug. 02	Nov. 03	53	3	July 22	Oct. 22	51	3
Mt. Airy 2/	Aug. 02	Nov. 10	42	2	July 22	Oct. 29	46	2
Oxford	Aug. 02	Nov. 10	36	4	July 22	Oct. 28	36	4
Reidsville	Aug. 02	Nov. 04	54	3	July 22	Oct. 28	55	3
Roxboro	Aug. 02	Nov. 10	55	5	July 22	Oct. 27	53	5
Sanford	July 28	Nov. 03	34	3	July 22	Oct. 14	25	3
Stone-Mad	Aug. 02	Nov. 10	37	3	July 22	Nov. 4	39	3
Warrenton	Aug. 03	Nov. 08	28	3	July 23	Oct. 21	27	3
Winston-Salem	Aug. 02	Nov. 10	57	7	July 22	Nov. 5	60	7
Total N.C.			46				46	
Total type 11			72				72	

Type 12 - Eastern North Carolina flue-cured

North Carolina:								
Ahoskie	July 29	Nov. 02	19	1	July 22	Oct. 21	19	1
Clinton	July 28	Oct. 28	51	3	July 21	Oct. 15	48	3
Dunn	July 29	Nov. 08	19	2	July 22	Oct. 14	17	2
Farmville	July 28	Oct. 28	51	3	July 21	Oct. 15	48	3
Goldsboro	July 28	Nov. 02	53	5	July 21	Oct. 21	51	5
Greenville	July 28	Oct. 28	51	7	July 21	Oct. 14	48	7
Kinston	July 28	Oct. 26	49	6	July 21	Oct. 14	48	6
Robersonville	July 29	Oct. 27	19	2	July 22	Oct. 14	19	2
Rocky Mount	July 28	Nov. 01	36	3	July 21	Oct. 15	33	3
Smithfield	July 28	Nov. 10	58	6	July 21	Oct. 21	52	6
Wallace	July 29	Oct. 27	25	1	July 22	Oct. 14	23	1
Wendell	Aug. 03	Oct. 26	12	2	July 27	Oct. 15	11	2
Williamston	July 28	Nov. 01	33	2	July 21	Oct. 20	31	2
Wilson	July 28	Nov. 01	52	12	July 21	Oct. 20	50	12
Windsor	July 28	Nov. 03	34	2	July 21	Oct. 22	34	2
Total type 12			57				57	

See footnotes at end of table.

**Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market--Continued**

Type 13 - South Carolina and Border North Carolina flue-cured

States and markets	1993				1992			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
South Carolina:			Number	Number			Number	Number
Conway	July 28	Oct. 26	24	3	July 22	Sep. 24	18	3
Darl-Tim	July 27	Oct. 28	38	5	July 20	Oct. 13	35	5
Hemingway	July 28	Oct. 20	24	2	July 20	Oct. 7	24	2
Kingstree	July 27	Oct. 27	27	3	July 21	Oct. 13	24	3
Lake City	July 27	Nov. 03	55	5	July 20	Oct. 15	49	5
Loris	July 27	Oct. 25	25	3	July 21	Sep. 29	20	3
Mullins	July 27	Oct. 28	50	5	July 20	Oct. 15	49	5
Total S.C.			26				26	
North Carolina:								
Chadbourn	July 29	Oct. 28	18	3	July 22	Oct. 14	18	3
Clarkton	July 28	Nov. 03	27	2	July 20	Oct. 19	27	2
Fair Bluff	July 28	Oct. 26	14	3	July 21	Oct. 7	13	3
Fairmont	July 27	Nov. 02	54	7	July 20	Oct. 15	50	6
Lumberton	July 27	Nov. 02	54	4	July 20	Oct. 15	50	4
Tabor City	July 27	Oct. 27	34	3	July 20	Oct. 7	28	3
Whiteville	July 27	Nov. 02	47	5	July 20	Oct. 14	48	5
Total N.C.			27				26	
Total type 13			53				52	

Type 14 - Georgia and Florida flue-cured

Georgia:								
Alma	July 21	Oct. 27	38	3	July 15	Oct. 6	38	3
Blackshear	July 22	Oct. 19	25	2	July 15	Oct. 7	35	2
Claxton	July 26	Oct. 21	17	1	July 16	Oct. 6	22	1
Douglas	July 21	Oct. 18	43	3	July 15	Oct. 7	42	3
Moultrie	July 21	Oct. 19	36	3	July 15	Oct. 7	37	3
Nashville	July 21	Oct. 20	26	2	July 15	Oct. 7	35	2
Ocila-Fitz	Aug. 02	Oct. 04	6	1	July 23	Sep. 28	6	1
Pelham	July 22	Oct. 20	27	2	July 16	Oct. 7	29	2
Statesboro	July 22	Oct. 25	17	1	July 16	Oct. 6	16	1
Tifton	July 29	Oct. 13	7	1	July 21	Oct. 7	7	1
Val-Hira	July 21	Oct. 21	31	3	July 15	Sep. 30	30	3
Vidalia	July 21	Oct. 21	29	2	July 20	Oct. 7	31	2
Total Georgia			24				24	
Florida:								
Lake City	July 22	Oct. 18	21	1	July 16	Oct. 5	20	1
Live Oak	July 21	Oct. 14	28	2	July 15	Oct. 1	26	2
Madison	July 28	Oct. 18	9	1	July 16	Oct. 6	7	1
Total Florida			4				4	
Total type 14			28				28	
Total 11-14			210				209	

1/ Clean up sale held Nov. 4, 1992.

2/ Clean up sale held Nov. 9, 1992.

Table 4.--Movement of tobacco across state lines 1/

State in which produced and crop year	Total sold out of State	Sold in:			
		Florida	Georgia	South Carolina	North Carolina
thousand pounds					
1993 Crop					
Alabama	810	--	810	--	--
Florida	3,866	--	3,866	--	--
Georgia	2,744	2,744	--	--	--
South Carolina	10,676	--	815	--	9,817
North Carolina	23,563	--	56	2,310	--
Virginia	8,191	--	--	--	8,191
Total	49,850	2,744	5,547	2,310	18,008
					21,241
1992 Crop					
Alabama	776	--	776	--	--
Florida	3,750	--	3,750	--	--
Georgia	2,993	2,993	--	--	--
South Carolina	10,727	--	525	--	10,202
North Carolina	23,528	--	--	2,269	--
Virginia	8,521	--	--	--	8,521
Total	50,295	2,993	5,051	2,269	18,723
					21,259

1/ Based on reports of the Agricultural Stabilization and Conservation Service, USDA.

Table 5.--Producers' sales, value, and average price by types, 1988-93 crops 1/

Type 11 - Old and Middle Belt

Type 12 - Eastern North Carolina

Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1988	242,354,823	384,431,536	158.62	1988	275,406,677	447,963,016	162.66
1989	253,481,860	426,982,317	168.45	1989	289,640,728	485,385,312	167.58
1990	284,357,274	480,371,433	168.93	1990	322,032,434	545,959,062	169.54
1991	284,703,858	493,645,487	173.39	1991	306,350,494	530,256,108	173.09
1992	280,539,708	493,748,869	176.00	1992	311,062,604	539,201,056	173.34
1993	275,801,125	466,537,168	169.16	1993	310,545,952	528,607,306	170.22

Type 13 - South Carolina and Border North Carolina

Type 14 - Georgia and Florida

Crop	Sales	Value	Average price	Crop	Sales	Value	Average price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1988	175,280,516	283,302,453	161.63	1988	103,261,656	168,658,682	163.04
1989	186,019,360	308,703,764	165.95	1989	106,686,431	178,249,560	167.08
1990	192,638,263	307,417,624	159.58	1990	120,190,364	202,991,523	168.89
1991	189,869,314	326,207,545	171.81	1991	101,766,870	171,831,968	168.85
1992	188,253,945	320,134,328	170.05	1992	121,291,907	204,032,569	168.22
1993	190,609,995	319,225,645	167.48	1993	115,117,580	190,085,708	165.12

Types 11-14 - Total flue-cured

Crop	Sales	Value	Average price	Crop	Sales	Value	Average price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1988	796,303,672	1,284,055,687	161.25	1991	882,690,536	1,521,941,108	172.42
1989	835,828,379	1,399,320,953	167.42	1992	901,148,164	1,557,116,822	172.79
1990	919,218,335	1,536,739,676	167.18	1993	892,074,652	1,504,455,827	168.65

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

**Table 6.--Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1988-93 crops 1/**

Type 11 - Old and Middle Belt

Crop	Gross			Resales		
	Sales	Value	Average price	Resales	Average price	Percentage of gross sales
1988	Pounds 268,826,895	Dollars 425,791,593	Dollars 158.39	Pounds 26,472,072	Dollars 156.24	Percent 9.9
1989	276,581,617	465,752,946	168.40	23,099,757	167.84	8.4
1990	311,758,684	525,776,194	168.65	27,401,410	165.70	8.8
1991	317,609,835	550,548,812	173.34	32,905,977	172.93	10.4
1992	304,180,759	534,907,404	175.85	23,641,051	174.10	7.8
1993	298,316,895	504,731,441	169.19	22,515,770	169.63	7.6

Type 12 - Eastern North Carolina

1988	308,193,754	501,186,876	162.62	32,787,077	162.33	10.6
1989	314,324,409	526,582,157	167.53	24,683,681	166.90	7.9
1990	353,116,281	598,364,018	169.45	31,083,857	168.59	8.8
1991	343,435,618	594,610,574	173.14	37,085,124	173.53	10.8
1992	336,392,053	583,085,070	173.33	25,329,449	173.25	7.5
1993	336,457,532	573,238,062	170.37	25,911,580	172.24	7.7

Type 13 - South Carolina and Border North Carolina

1988	195,802,337	316,645,311	161.72	20,521,821	162.48	10.5
1989	205,434,547	340,990,851	165.99	19,415,187	166.30	9.5
1990	211,339,198	337,303,379	159.60	18,700,935	159.81	8.9
1991	210,939,135	362,445,995	171.82	21,069,821	171.99	10.0
1992	206,724,528	351,667,472	170.11	18,470,583	170.72	8.9
1993	210,480,935	352,741,583	167.59	19,870,940	168.67	9.4

Type 14 - Georgia and Florida

1988	119,891,798	195,554,553	163.11	16,630,142	163.53	13.9
1989	121,735,812	203,572,450	167.22	15,049,381	168.27	12.4
1990	135,561,833	229,191,390	169.07	15,371,469	170.44	11.3
1991	115,202,404	194,861,355	169.15	13,435,534	171.41	11.7
1992	136,824,612	230,292,301	168.31	15,532,705	169.06	11.4
1993	129,934,608	215,067,933	165.52	14,817,028	168.60	11.4

Types 11-14 Total flue-cured

1988	892,714,784	1,439,178,333	161.21	96,411,112	160.90	10.8
1989	918,076,385	1,536,898,404	167.40	82,248,006	167.27	9.0
1990	1,011,776,006	1,690,634,981	167.10	92,557,671	166.27	9.2
1991	987,186,992	1,702,466,736	172.46	104,496,456	172.76	10.6
1992	984,121,952	1,699,952,247	172.74	82,973,788	172.15	8.4
1993	975,189,970	1,645,779,019	168.76	83,115,318	170.03	8.5

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

**Table 7.--Producers' sales, value, and average price by type, state, and market 1/**

Type 11 - Old and Middle Belt flue-cured

Market and State	1993 Crop			1992 crop		
	Sales	Value	Average price	Sales	Value	Average price
Virginia:	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Chase City	3,535,285	5,907,686	167.11	3,868,587	6,777,269	175.19
Clarksville	8,794,921	14,903,825	169.46	8,555,339	15,101,035	176.51
Danville	45,303,249	77,723,588	171.56	44,214,877	78,172,924	176.80
Kenbridge	1,314,991	2,181,615	165.90	1,635,097	2,896,732	177.16
Lawrenceville	7,600,523	12,886,975	169.55	7,757,732	13,685,189	176.41
South Boston	16,716,742	27,625,604	165.26	18,507,461	32,341,602	174.75
South Hill	7,799,219	13,102,395	168.00	8,123,329	14,718,296	176.91
Total Virginia	91,064,930	154,331,688	169.47	92,662,422	165,345,917	176.28
North Carolina:						
Burl-Meb	5,427,045	9,320,827	171.75	5,577,906	9,869,283	176.94
Cart-Abr	10,457,347	17,708,758	169.34	9,988,521	17,363,289	173.83
Fuquay-Varina	19,566,722	33,391,881	170.66	19,548,415	33,933,724	173.59
Henderson	12,887,675	21,321,204	165.44	13,488,735	23,964,316	177.66
Louisburg	20,924,300	35,663,620	170.44	21,938,249	39,163,320	178.52
Mt. Airy	11,288,024	18,908,772	167.51	11,182,984	19,471,615	174.12
Oxford	10,764,714	17,814,517	165.49	11,078,526	19,507,229	176.08
Reidsville	15,504,409	26,645,956	171.86	15,785,577	27,936,780	176.98
Roxboro	15,642,675	26,620,520	170.18	15,260,827	26,871,347	176.08
Sanford	8,089,000	13,535,699	167.33	8,662,377	14,931,260	172.37
Stone-Mad	10,456,973	17,624,750	168.55	10,237,214	17,956,740	175.41
Warrenton	7,256,990	12,014,922	165.56	7,725,439	13,684,975	177.14
Winston-Salem	36,470,321	61,634,054	169.00	37,402,516	65,749,074	175.79
Total N.C.	184,736,195	312,205,480	169.00	187,877,286	330,402,952	175.86
Total type 11	275,801,125	466,537,168	169.16	280,539,708	493,748,869	176.00

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	4,708,856	7,664,537	162.77	4,611,815	8,022,356	173.95
Clinton	15,493,320	26,275,330	169.59	14,389,089	24,725,066	171.83
Dunn	4,396,363	7,370,803	167.66	4,888,505	8,392,272	171.67
Farmville	23,005,049	39,288,397	170.78	24,001,448	41,699,203	173.74
Goldsboro	28,169,868	48,031,606	170.51	28,109,083	48,726,437	173.35
Greenville	32,011,804	53,980,811	168.63	33,201,300	56,884,739	171.33
Kinston	44,852,447	76,812,126	171.26	43,834,045	75,494,788	172.23
Robersonville	5,709,913	9,551,214	167.27	6,182,353	10,599,891	171.45
Rocky Mount	10,952,690	18,146,945	165.68	11,831,861	20,602,143	174.12
Smithfield	32,994,349	56,218,995	170.39	30,615,883	53,020,800	173.18
Wallace	5,823,783	9,922,741	170.38	5,442,525	9,266,356	170.26
Wendell	2,988,381	5,032,295	168.40	3,190,418	5,589,891	175.21
Williamston	10,507,805	18,085,592	172.12	10,059,621	17,431,240	173.28
Wilson	78,832,621	135,126,716	171.41	80,555,824	141,192,460	175.27
Windsor	10,098,703	17,099,198	169.32	10,148,834	17,553,414	172.96
Total type 12	310,545,952	528,607,306	170.22	311,062,604	539,201,056	173.34

See footnote at end of table.

**Table 7.--Producers' sales, value, and average price by type, state, and market 1/  
--Continued**

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1993 crop			1992 crop		
	Sales	Value	Average price	Sales	Value	Average price
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
South Carolina:						
Conway	6,449,612	10,977,738	170.21	6,343,677	10,937,749	172.42
Darl-Tim	10,962,098	18,045,448	164.62	11,733,569	19,662,816	167.58
Hemingway	8,201,427	14,147,404	172.50	8,273,623	14,200,809	171.64
Kingstree	8,315,672	14,127,681	169.89	8,334,315	14,345,922	172.13
Lake City	31,645,405	51,590,715	163.03	32,150,177	54,228,745	168.67
Loris	7,110,955	11,788,800	165.78	6,029,965	10,223,815	169.55
Mullins	30,560,399	50,537,842	165.37	30,852,873	52,651,678	170.65
Total S.C.	103,245,568	171,215,628	165.83	103,718,199	176,251,534	169.93
North Carolina:						
Chadbourn	5,607,916	9,538,157	170.08	6,330,481	10,711,293	169.20
Clarkton	8,652,104	14,637,544	169.18	7,710,328	13,136,102	170.37
Fair Bluff	3,783,016	6,438,266	170.19	3,581,502	6,085,428	169.91
Fairmont	27,185,425	46,107,535	169.60	26,809,635	45,675,608	170.37
Lumberton	15,352,952	25,939,746	168.96	15,564,464	26,713,884	171.63
Tabor City	11,068,561	18,594,922	168.00	9,889,549	16,739,677	169.27
Whiteville	15,714,453	26,753,847	170.25	14,649,787	24,820,802	169.43
Total N.C.	87,364,427	148,010,017	169.42	84,535,746	143,882,794	170.20
Total type 13	190,609,995	319,225,645	167.48	188,253,945	320,134,328	170.05

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	12,795,679	21,758,849	170.05	12,459,914	21,373,923	171.54
Blackshear	8,983,788	15,378,933	171.19	9,784,468	16,866,135	172.38
Claxton	5,591,317	9,393,821	168.01	6,300,772	10,779,463	171.08
Douglas	13,693,292	22,730,311	166.00	13,662,119	23,137,857	169.36
Moultrie	11,641,390	18,573,706	159.55	12,900,249	21,282,896	164.98
Nashville	9,704,075	16,469,777	169.72	10,168,373	17,430,079	171.41
Ocila-Fitz	1,859,376	3,092,438	166.32	1,611,894	2,652,341	164.55
Pelham	8,566,610	13,829,228	161.43	9,324,447	15,671,912	168.07
Statesboro	4,645,866	7,479,084	160.98	4,710,562	7,767,031	164.89
Tifton	2,184,798	3,467,421	158.71	2,003,952	3,365,023	167.92
Val-Hira	9,207,441	14,889,722	161.71	10,064,695	16,919,784	168.11
Vidalia	8,704,522	14,303,211	164.32	9,585,999	16,125,134	168.22
Total Georgia	97,578,154	161,366,501	165.37	102,577,444	173,371,578	169.02
Florida:						
Lake City	6,408,449	10,379,102	161.96	6,978,537	11,372,705	162.97
Live Oak	8,188,013	13,508,184	164.98	9,414,674	15,482,164	164.45
Madison	2,942,964	4,831,921	164.19	2,321,252	3,806,122	163.97
Total Florida	17,539,426	28,719,207	163.74	18,714,463	30,660,991	163.84
Total type 14	115,117,580	190,085,708	165.12	121,291,907	204,032,569	168.22
Total types 11-14	892,074,652	1,504,455,827	168.65	901,148,164	1,557,116,822	172.79

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 8.--Gross sales, value, and average price by type, state, and market 1/

Type 11 - Old and Middle Belt flue-cured

Market and State	1993 crop			1992 crop		
	Sales	Value	Average price	Sales	Value	Average price
Virginia:	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Chase City	3,634,361	6,065,732	166.90	4,068,200	7,128,488	175.22
Clarksville	9,107,869	15,427,512	169.39	9,064,113	15,991,033	176.42
Danville	49,698,767	85,250,913	171.54	48,250,821	85,178,919	176.53
Kenbridge	1,334,959	2,212,128	165.71	1,652,653	2,927,350	177.13
Lawrenceville	7,895,499	13,354,453	169.14	8,032,248	14,164,000	176.34
South Boston	17,323,329	28,596,325	165.07	20,365,817	35,505,639	174.34
South Hill	7,989,613	13,391,032	167.61	8,526,975	15,080,412	176.86
Total Virginia	96,984,397	164,298,095	169.41	99,960,827	175,975,841	176.04
North Carolina:						
Burl-Meb	5,504,269	9,439,496	171.49	5,657,759	10,009,603	176.92
Cart-Abr	11,545,231	19,602,623	169.79	11,022,006	19,170,854	173.93
Fuquay-Varina	20,990,042	35,858,927	170.84	20,701,511	35,937,931	173.60
Henderson	13,569,583	22,473,083	165.61	14,268,474	25,335,643	177.56
Louisburg	22,345,146	38,082,184	170.43	23,173,762	41,352,700	178.45
Mt. Airy	12,668,262	21,282,505	168.00	12,707,064	22,146,528	174.29
Oxford	11,168,168	18,494,012	165.60	11,477,202	20,178,599	175.81
Reidsville	17,077,762	29,336,575	171.78	17,230,681	30,476,786	176.88
Roxboro	17,222,332	29,227,100	169.70	16,767,528	29,504,156	175.96
Sanford	8,948,767	15,039,663	168.06	9,688,212	16,704,389	172.42
Stone-Mad	11,742,995	19,826,170	168.83	11,391,340	19,959,610	175.22
Warrenton	7,439,870	12,312,943	165.50	8,022,005	14,210,984	177.15
Winston-Salem	41,110,071	69,458,065	168.96	42,112,388	73,943,780	175.59
Total N.C.	201,332,498	340,433,346	169.09	204,219,932	358,931,563	175.76
Total type 11	298,316,895	504,731,441	169.19	304,180,759	534,907,404	175.85

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	5,075,688	8,284,724	163.22	4,914,239	8,551,382	174.01
Clinton	16,755,875	28,477,352	169.95	15,431,391	26,550,554	172.06
Dunn	4,568,504	7,661,515	167.70	5,174,957	8,858,421	171.18
Farmville	24,797,407	42,306,728	170.61	25,936,413	45,092,037	173.86
Goldsboro	30,371,501	51,849,238	170.72	30,599,633	53,092,783	173.51
Greenville	34,558,254	58,320,471	168.76	35,947,192	61,619,206	171.42
Kinston	46,784,943	80,117,661	171.25	46,404,940	79,993,162	172.38
Robersonville	6,265,074	10,492,644	167.48	6,718,901	11,488,683	170.99
Rocky Mount	11,274,357	18,682,681	165.71	12,202,325	21,246,422	174.12
Smithfield	36,155,139	61,621,101	170.44	33,341,851	57,706,669	173.08
Wallace	6,076,797	10,355,108	170.40	5,566,855	9,473,824	170.18
Wendell	3,049,108	5,134,853	168.41	3,258,191	5,706,014	175.13
Williamston	11,730,284	20,242,167	172.56	10,891,065	18,854,916	173.12
Wilson	87,837,487	150,791,007	171.67	88,961,850	155,778,578	175.11
Windsor	11,157,114	18,900,812	169.41	11,042,250	19,072,419	172.72
Total type 12	336,457,532	573,238,062	170.37	336,392,053	583,085,070	173.33

See footnote at end of table.

**Table 8.--Gross sales, value, and average price by type, state, and market 1/  
--Continued**

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1993 crop			1992 crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
South Carolina:						
Conway	6,757,393	11,494,257	170.10	6,639,141	11,442,880	172.35
Darl-Tim	12,205,101	20,197,311	165.48	13,029,685	21,872,046	167.86
Hemingway	8,954,644	15,467,968	172.74	9,082,130	15,607,830	171.85
Kingstree	9,099,878	15,461,048	169.90	9,060,325	15,598,798	172.17
Lake City	35,952,449	58,779,295	163.49	36,188,494	61,131,444	168.93
Loris	7,688,165	12,771,981	166.13	6,547,906	11,124,152	169.89
Mullins	33,909,260	56,070,160	165.35	34,082,612	58,111,881	170.50
Total S.C.	114,566,890	190,242,020	166.05	114,630,293	194,889,031	170.02
North Carolina:						
Chadbourn	6,010,765	10,202,173	169.73	6,884,929	11,674,092	169.56
Clarkton	9,609,829	16,290,386	169.52	8,443,301	14,418,112	170.76
Fair Bluff	4,191,634	7,139,916	170.34	4,036,562	6,855,481	169.83
Fairmont	30,531,806	51,834,197	169.77	29,736,867	50,667,851	170.39
Lumberton	15,904,590	26,864,044	168.91	16,162,354	27,737,809	171.62
Tabor City	12,037,936	20,253,859	168.25	10,738,125	18,184,334	169.34
Whiteville	17,627,485	29,914,988	169.71	16,092,097	27,240,762	169.28
Total N.C.	95,914,045	162,499,563	169.42	92,094,235	156,778,441	170.24
Total type 13	210,480,935	352,741,583	167.59	206,724,528	351,667,472	170.11

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	15,119,373	25,867,161	171.09	14,458,985	24,866,495	171.98
Blackshear	10,270,431	17,588,334	171.25	11,283,801	19,484,260	127.67
Claxton	6,244,553	10,539,206	168.77	7,042,373	12,079,313	171.52
Douglas	15,664,521	26,016,122	166.08	15,437,609	26,173,948	169.55
Moultrie	13,341,484	21,458,044	160.84	14,618,249	24,150,582	165.21
Nashville	10,887,235	18,511,513	170.03	11,327,416	19,405,762	171.32
Ocila-Fitz	1,948,322	3,230,849	165.83	1,793,903	2,928,412	163.24
Pelham	9,580,855	15,529,333	162.09	10,480,669	17,649,855	168.40
Statesboro	5,191,214	8,346,952	160.79	5,266,697	8,707,857	165.34
Tifton	2,396,030	3,819,973	159.43	2,296,632	3,835,243	166.99
Val-Hira	10,079,598	16,249,851	161.22	10,973,165	18,335,998	167.10
Vidalia	9,860,987	16,231,637	164.60	10,859,821	18,266,195	168.20
Total Georgia	110,584,603	183,388,975	165.84	115,839,320	195,883,920	169.10
Florida:						
Lake City	7,095,541	11,479,615	161.79	7,805,045	12,722,627	163.01
Live Oak	9,005,349	14,868,883	165.11	10,614,792	17,479,260	164.67
Madison	3,249,115	5,330,460	164.06	2,565,455	4,206,494	163.97
Total Florida	19,350,005	31,678,958	163.72	20,985,292	34,408,381	163.96
Total type 14	129,934,608	215,067,933	165.52	136,824,612	230,292,301	168.31
Total types 11-14	975,189,970	1,645,779,019	168.76	984,121,952	1,699,952,247	172.74

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

**Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/**

Type 11 - Old and Middle Belt flue-cured

Market and State	1993 crop			1992 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
Virginia:	Pounds	Dollars	Percent	Pounds	Dollars	Percent
Chase City	99,076	159.52	2.73	199,613	175.95	4.91
Clarksville	312,948	167.34	3.44	508,774	174.93	5.61
Danville	4,395,518	171.25	8.84	4,035,944	173.59	8.36
Kenbridge	19,968	152.81	1.50	17,556	174.40	1.06
Lawrenceville	294,976	158.48	3.74	274,516	174.42	3.42
South Boston	606,587	160.03	3.50	1,858,356	170.26	9.12
South Hill	190,394	151.60	2.38	403,646	175.71	4.73
Total Virginia	5,919,467	168.37	6.10	7,298,405	173.05	7.30
North Carolina:						
Burl-Meb	77,224	153.67	1.40	79,853	175.72	1.41
Cart-Abr	1,087,884	174.09	9.42	1,033,485	174.90	9.38
Fuquay-Varina	1,423,320	173.33	6.78	1,153,096	173.81	5.57
Henderson	681,908	168.92	5.03	779,739	175.87	5.46
Louisburg	1,420,846	170.22	6.36	1,235,513	177.20	5.33
Mt. Airy	1,380,238	171.98	10.90	1,524,080	175.51	11.99
Oxford	403,454	168.42	3.61	398,676	168.40	3.47
Reidsville	1,573,353	171.01	9.21	1,445,104	175.77	8.39
Roxboro	1,579,657	165.01	9.17	1,506,701	174.74	8.99
Sanford	859,767	174.93	9.61	1,025,835	172.85	10.59
Stone-Mad	1,286,022	171.18	10.95	1,154,126	173.54	10.13
Warrenton	182,880	162.96	2.46	296,566	177.37	3.70
Winston-Salem	4,639,750	168.63	11.29	4,709,872	173.99	11.18
Total N.C.	16,596,303	170.09	8.24	16,342,646	174.57	8.00
Total type 11	22,515,770	169.63	7.55	23,641,051	174.10	7.77

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	366,832	169.07	7.23	302,424	174.93	6.15
Clinton	1,262,555	174.41	7.53	1,042,302	175.14	6.75
Dunn	172,141	168.88	3.77	286,452	162.73	5.54
Farmville	1,792,358	168.40	7.23	1,934,965	175.34	7.46
Goldsboro	2,201,633	173.40	7.25	2,490,550	175.32	8.14
Greenville	2,546,450	170.42	7.37	2,745,892	172.42	7.64
Kinston	1,932,496	171.05	4.13	2,570,895	174.97	5.54
Robersonville	555,161	169.58	8.86	536,548	165.65	7.99
Rocky Mount	321,667	166.55	2.85	370,464	173.91	3.04
Smithfield	3,160,790	170.91	8.74	2,725,968	171.90	8.18
Wallace	253,014	170.89	4.16	124,330	166.87	2.23
Wendell	60,727	168.88	1.99	67,773	171.34	2.08
Williamston	1,222,479	176.41	10.42	831,444	171.23	7.63
Wilson	9,004,866	173.95	10.25	8,406,026	173.52	9.45
Windsor	1,058,411	170.22	9.49	893,416	170.02	8.09
Total type 12	25,911,580	172.24	7.70	25,329,449	173.25	7.53

See footnote at end of Table.

**Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/  
--Continued**

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1993 crop			1992 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
South Carolina:	Pounds	Dollars	Percent	Pounds	Dollars	Percent
Conway	307,781	167.82	4.55	295,464	170.96	4.45
Darl-Tim	1,243,003	173.12	10.18	1,296,116	170.45	9.95
Hemingway	753,217	175.32	8.41	808,507	174.03	8.90
Kingstree	784,206	170.03	8.62	726,010	172.57	8.01
Lake City	4,307,044	166.90	11.98	4,038,317	170.93	11.16
Loris	577,210	170.33	7.51	517,941	173.83	7.91
Mullins	3,348,861	165.20	9.88	3,229,739	169.06	9.48
Total S.C.	11,321,322	168.06	9.88	10,912,094	170.80	9.52
North Carolina:						
Chadbourn	402,849	164.83	6.70	554,448	173.65	8.05
Clarkton	957,725	172.58	9.97	732,973	174.91	8.68
Fair Bluff	408,618	171.71	9.75	455,060	169.22	11.27
Fairmont	3,346,381	171.13	10.96	2,927,232	170.54	9.84
Lumberton	551,638	167.56	3.47	597,890	171.26	3.70
Tabor City	969,375	171.13	8.05	848,576	170.24	7.90
Whiteville	1,913,032	165.24	10.85	1,442,310	167.78	8.96
Total N.C.	8,549,618	169.48	8.91	7,558,489	170.61	8.21
Total type 13	19,870,940	168.67	9.44	18,470,583	170.72	8.93

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	2,323,694	176.80	15.37	1,999,071	174.71	13.83
Blackshear	1,286,643	171.72	12.53	1,499,333	174.62	13.29
Claxton	653,236	175.34	10.46	741,601	175.28	10.53
Douglas	1,971,229	166.69	12.58	1,775,490	171.00	11.50
Moultrie	1,700,094	169.66	12.74	1,718,000	166.92	11.75
Nashville	1,183,160	172.57	10.87	1,159,043	170.46	10.23
Ocila-Fitz	88,946	155.61	4.57	182,009	151.68	10.15
Pelham	1,014,245	167.62	10.59	1,156,222	171.07	11.03
Statesboro	545,348	159.14	10.51	556,135	169.17	10.56
Tifton	211,232	166.90	8.82	292,680	160.66	12.74
Val-Hira	872,157	155.95	8.65	908,470	155.89	8.28
Vidalia	1,156,465	166.75	11.73	1,273,822	168.08	11.73
Total Georgia	13,006,449	169.32	11.76	13,261,876	169.75	11.45
Florida:						
Lake City	687,092	160.17	9.68	826,508	163.33	10.59
Live Oak	817,336	166.48	9.08	1,200,118	166.41	11.31
Madison	306,151	162.84	9.42	244,203	163.95	9.52
Total Florida	1,810,579	163.47	9.36	2,270,829	165.02	10.82
Total type 14	14,817,028	168.60	11.40	15,532,705	169.06	11.35
Total types 11-14	83,115,318	170.03	8.52	82,973,788	172.15	8.43

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 10.--Rank of markets by volume of producers' sales, by separate types and by all types,  
1993 crop 1/

Type, market, and State	Sales Mil. lb.	Rank by Separate types	All types	Type, market, and State	Sales Mil. lb.	Rank by Separate types	All types
<u>Type 11</u>							
Danville, Va.	45.3	1	2	Lake City, S.C.	31.6	1	7
Winston-Salem, N.C.	36.5	2	4	Mullins, S.C.	30.6	2	8
Louisburg, N.C.	20.9	3	12	Fairmont, N.C.	27.2	3	10
Fuquay-Varina, N.C.	19.6	4	13	Whiteville, N.C.	15.7	4	15
South Boston, Va.	16.7	5	14	Lumberton, N.C.	15.4	5	19
Roxboro, N.C.	15.6	6	16	Tabor City, N.C.	11.1	6	25
Reidsville, N.C.	15.5	7	17	Dari-Tim, S.C.	11.0	7	26
Henderson, N.C.	12.9	8	21	Clarkton, N.C.	8.7	8	38
Mount Airy, N.C.	11.3	9	24	Kingstree, S.C.	8.3	9	40
Oxford, N.C.	10.8	10	28	Hemingway, S.C.	8.2	10	41
Cart-Aber, N.C.	10.5	11	30	Loris, S.C.	7.1	11	47
Stone-Mad, N.C.	10.5	12	31	Conway, S.C.	6.4	12	48
Clarksville, Va.	8.8	13	36	Chadbourn, N.C.	5.6	13	52
Sanford, N.C.	8.1	14	43	Fair Bluff, N.C.	3.8	14	58
South Hill, Va.	7.8	15	44				
Lawrenceville, Va.	7.6	16	45				
Warrenton, N.C.	7.3	17	46				
Burl-Meb, N.C.	5.4	18	54				
Chase City, Va.	3.5	19	59				
Kenbridge, Va.	1.3	20	64				
<u>Type 12</u>							
Wilson, N.C.	78.8	1	1	Douglas, Ga.	13.7	1	20
Kinston, N.C.	44.9	2	3	Alma, Ga.	12.8	2	22
Smithfield, N.C.	33.0	3	5	Moultrie, Ga.	11.6	3	23
Greenville, N.C.	32.0	4	6	Nashville, Ga.	9.7	4	33
Goldsboro, N.C.	28.2	5	9	Val-Hira, Ga.	9.2	5	34
Farmville, N.C.	23.0	6	11	Blackshear, Ga.	9.0	6	35
Clinton, N.C.	15.5	7	18	Vidalia, Ga.	8.7	7	37
Rocky Mount, N.C.	11.0	8	27	Pelham, Ga.	8.6	8	39
Williamston, N.C.	10.5	9	29	Live Oak, Fl.	8.2	9	42
Windsor, N.C.	10.1	10	32	Lake City, Fl.	6.4	10	49
Wallace, N.C.	5.8	11	50	Claxton, Ga.	5.6	11	53
Robersonville, N.C.	5.7	12	51	Statesboro, Ga.	4.6	12	56
Ahoskie, N.C.	4.7	13	55	Madison, Fl.	2.9	13	61
Dunn, N.C.	4.4	14	57	Tifton, Ga.	2.2	14	62
Wendell, N.C.	3.0	15	60	Ocilla-Fitz, Ga.	1.9	15	63
<u>Type 13</u>							
<u>Type 14</u>							

1/ In instances where producers' sales for two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

**Table 11---Season average prices and support rates by individual grades, per 100 pounds 1/**

Group and grade 2/	1993 crop Season averages					1993 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
LEAF							LEAF
B1L	--	--	--	--	--	191	B1L
B2L	190	--	--	(190)	190	189	B2L
B3L	187	(187)	187	--	187	186	B3L
B4L	186	185	184	184	185	183	B4L
B5L	182	181	181	178	180	177	B5L
B6L	--	--	--	(174)	(174)	173	B6L
B1F	192	192	(192)	(192)	192	191	B1F
B2F	190	190	190	190	190	189	B2F
B3F	187	187	187	187	187	186	B3F
B4F	186	186	185	185	186	184	B4F
B5F	183	183	179	181	181	177	B5F
B6F	--	--	174	178	176	173	B6F
B1FR	--	--	--	--	--	190	B1FR
B2FR	--	--	--	--	--	187	B2FR
B3FR	186	186	186	--	186	185	B3FR
B4FR	185	186	184	184	185	183	B4FR
B5FR	181	184	177	178	178	176	B5FR
B6FR	173	--	--	(185)	177	172	B6FR
B5R	--	(176)	--	--	(166)	150	B5R
B3K	185	185	184	184	184	182	B3K
B4K	183	184	181	182	183	180	B4K
B5K	176	179	173	177	176	172	B5K
B6K	167	169	163	169	167	162	B6K
B3KR	184	184	183	183	184	181	B3KR
B4KR	182	182	178	180	181	176	B4KR
B5KR	174	176	170	173	175	166	B5KR
B3V	183	181	181	180	181	177	B3V
B4V	179	178	174	174	176	171	B4V
B5V	172	174	167	168	169	164	B5V
B3S	182	180	177	177	179	170	B3S
B4S	184	174	168	170	172	164	B4S
B5S	--	(171)	--	(159)	165	157	B5S
B3KL	179	179	176	173	178	169	B3KL
B4KL	174	174	170	169	173	165	B4KL
B5KL	162	167	156	161	163	155	B5KL
B6KL	(158)	(158)	--	(157)	157	148	B6KL
B3KF	181	179	174	175	178	169	B3KF
B4KF	173	175	169	172	173	165	B4KF
B5KF	162	167	159	164	163	155	B5KF
B6KF	153	158	152	157	156	148	B6KF
B3KD	184	--	--	--	181	166	B3KD
B4KD	178	174	163	160	173	158	B4KD
B5KD	161	163	150	152	159	146	B5KD
B6KD	149	150	145	146	148	138	B6KD
B4KV	164	169	163	163	165	159	B4KV
B5KV	155	162	154	158	158	149	B5KV
B6KV	144	153	145	154	151	140	B6KV
B3KM	182	182	179	179	181	175	B3KM
B4KM	177	179	173	175	177	170	B4KM
B5KM	169	173	166	168	170	163	B5KM
B6KM	163	165	157	161	163	152	B6KM
B3KK	180	181	173	172	180	168	B3KK
B4KK	177	176	166	170	175	162	B4KK
B5KK	165	168	159	165	166	153	B5KK
B6KK	--	163	--	159	160	144	B6KK
B4G	162	168	160	159	162	152	B4G
B5G	148	160	148	151	152	144	B5G
B6G	--	142	(140)	--	141	136	B6G
B5GR	146	--	138	--	142	129	B5GR
B4GK	163	164	158	159	161	150	B4GK
B5GK	152	156	149	154	153	143	B5GK
B6GK	139	147	139	145	143	133	B6GK
B5GG	131	141	(147)	(132)	139	124	B5GG

See footnotes at end of table.

Table 11...Season average prices and support rates by individual grades, per 100 pounds 1/  
--Continued

Group and grade 2/	1993 crop Season averages					1993 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
SMOKING LEAF							SMOKING LEAF
H3F	187	187	187	187	187	186	H3F
H4F	186	186	185	185	186	184	H4F
H5F	183	182	179	183	182	177	H5F
H6F	--	--	--	(175)	179	173	H6F
H4FR	186	187	185	185	186	183	H4FR
H5FR	181	(184)	180	(181)	181	176	H5FR
H6FR	--	--	--	--	--	172	H6FR
H4K	184	185	182	184	183	180	H4K
H5K	179	181	175	180	179	172	H5K
H6K	171	176	165	175	173	162	H6K
CUTTERS							CUTTERS
C1L	--	--	--	--	--	178	C1L
C2L	(185)	--	--	--	(185)	176	C2L
C3L	181	180	177	173	179	173	C3L
C4L	178	176	174	171	176	167	C4L
C5L	174	174	166	165	172	161	C5L
C5LP	(157)	162	--	--	160	134	C5LP
C1F	--	--	--	--	--	178	C1F
C2F	186	(187)	--	--	186	176	C2F
C3F	183	183	179	175	182	173	C3F
C4F	180	179	174	172	178	167	C4F
C5F	175	175	169	166	173	161	C5F
C5FP	(157)	(162)	--	--	160	134	C5FP
C4KR	173	176	171	168	173	160	C4KR
C4V	171	171	166	163	169	158	C4V
C4LL	--	--	--	--	--	147	C4LL
C5LL	--	--	--	--	--	141	C5LL
C4S	178	169	161	162	165	155	C4S
C4KL	165	171	164	161	167	154	C4KL
C4KF	165	170	162	160	166	154	C4KF
C4KM	171	172	166	165	169	157	C4KM
C4KK	161	165	161	160	164	153	C4KK
C4G	154	160	151	151	155	143	C4G
C4GK	154	158	151	148	154	138	C4GK
LUGS							LUGS
X1L	--	--	--	--	--	171	X1L
X2L	171	171	(167)	--	170	164	X2L
X3L	167	165	161	161	164	159	X3L
X4L	158	159	154	154	157	148	X4L
X5L	142	152	146	147	148	135	X5L
X1F	176	--	174	--	175	171	X1F
X2F	172	171	170	165	171	164	X2F
X3F	170	167	163	162	167	159	X3F
X4F	159	161	155	155	158	148	X4F
X5F	143	149	145	147	146	135	X5F
X3KR	165	166	162	162	164	155	X3KR
X4KR	158	156	155	151	156	147	X4KR
X3V	162	162	157	158	160	153	X3V
X4V	152	156	151	151	152	144	X4V
X3LL	--	(158)	--	160	159	138	X3LL
X4LL	--	162	--	--	160	132	X4LL
X3S	166	163	154	156	158	146	X3S
X4S	--	158	151	152	152	136	X4S
X4KL	150	158	147	146	151	133	X4KL
X4KF	145	151	143	144	145	133	X4KF
X4KV	138	145	139	140	141	129	X4KV
X3KM	162	162	158	157	160	147	X3KM
X4KM	152	156	151	151	154	138	X4KM
X4G	139	146	140	144	143	129	X4G
X5G	130	140	135	139	137	124	X5G
X4GK	139	146	141	142	143	127	X4GK

See footnotes at end of table.

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/  
--Continued

Group and grade 2/	1993 crop Season averages					1993 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
PRIMINGS							PRIMINGS
P2L	159	162	156	156	159	146	P2L
P2LS	--	--	--	--	--	131	P2LS
P3L	153	155	151	150	152	136	P3L
P3LS	--	--	--	(141)	(143)	122	P3LS
P4L	143	149	145	147	146	132	P4L
P4LS	128	(132)	--	136	134	119	P4LS
P5L	130	139	132	139	137	0	P5L
P5LS	--	--	--	--	--	0	P5LS
P2F	159	157	157	155	158	146	P2F
P2FS	--	--	--	--	--	131	P2FS
P3F	154	155	151	152	153	136	P3F
P3FS	(149)	--	--	(144)	147	122	P3FS
P4F	143	148	145	147	146	132	P4F
P4FS	131	147	137	136	135	119	P4FS
P5F	128	135	134	138	133	0	P5F
P5FS	113	--	(96)	123	113	0	P5FS
P4G	133	140	137	140	138	116	P4G
P4GS	(108)	--	(126)	128	126	104	P4GS
P5G	122	132	129	134	130	0	P5G
P5GS	--	--	--	--	(115)	0	P5GS
MIXED							MIXED
M4F	--	(176)	--	--	(176)	147	M4F
M5F	--	--	--	--	--	136	M5F
M4KR	--	--	--	--	--	134	M4KR
M4KM	--	159	--	--	159	133	M4KM
M5KM	--	159	--	--	159	128	M5KM
M4GK	--	(154)	--	--	(154)	122	M4GK
M5GK	--	--	--	--	--	116	M5GK
NONDESCRIPT							NONDESCRIPT
N1L	118	127	126	133	126	0	N1L
N1LS	--	--	--	--	--	0	N1LS
N1XL	117	130	118	133	124	0	N1XL
N1K	142	150	134	148	145	127	N1K
N1R	142	148	131	125	136	122	N1R
N1GL	109	127	120	129	123	0	N1GL
N1GLS	--	--	--	--	--	0	N1GLS
N1GF	114	127	117	124	120	109	N1GF
N1KV	122	138	124	129	130	113	N1KV
N1GR	122	129	126	--	125	110	N1GR
N1GG	--	--	(142)	103	121	103	N1GG
N1PO	118	131	127	131	130	0	N1PO
N1POS	--	--	--	--	--	0	N1POS
N1XO	122	132	122	128	127	0	N1XO
N1BO	155	149	137	136	141	114	N1BO
N2	97	120	104	115	111	0	N2
NO-G	91	115	109	107	105	0	NO-G
NO-G-F	148	143	116	130	130	0	NO-G-F
NO-G-F-S	--	--	--	--	--	0	NO-G-F-S
NO-G-N	--	--	--	--	--	0	NO-G-N
W-unsafe	151	(158)	--	--	153	0	W-unsafe
U-unsound	133	152	127	117	129	0	U-unsound
S-scrap	--	--	--	--	(84)	0	S-scrap

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded. Dashes indicate that less than 10 lots were recorded.

2/ For key to standard trademarks see brief of classification on page 5.

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, N.C.

**Table 12. --Average prices by weeks for representative grades and season averages 1/**

Type 11 - 1993 crop

Group and grade	Week ending									
	July 30	Aug. 6	Aug. 13	Aug. 20	Aug. 27	Sep. 3	Sep. 10	Sep. 17	Sep. 24	
B3F	--	186	186	--	--	--	--	187	187	
B4F	185	185	184	185	184	184	185	185	185	
B5F	--	--	--	--	--	179	183	183	184	
B3K	183	184	185	185	182	183	184	184	184	
B4K	181	183	185	184	181	181	181	182	182	
B5K	--	182	183	183	177	175	174	175	175	
B6K	164	173	175	179	--	--	162	166	165	
B3KR	182	184	185	185	183	182	184	184	184	
B4KR	181	183	184	184	181	178	180	181	180	
B5KR	175	181	184	182	--	167	174	170	171	
B3KL	--	181	183	--	170	--	173	175	180	
B4KL	--	--	183	--	--	--	176	171	171	
B3KF	--	183	184	184	--	--	177	177	177	
B4KF	172	182	183	182	177	167	170	170	171	
B5KF	--	177	177	176	163	162	159	161	162	
B5KD	--	165	168	169	151	149	--	--	--	
B4KV	--	183	--	170	172	164	162	163	164	
B5KV	--	--	172	--	169	155	153	154	154	
B6KV	--	--	--	--	--	146	141	142	143	
B3KM	180	183	185	185	176	177	179	181	182	
B4KM	179	183	184	182	174	172	175	176	176	
B5KM	--	182	--	176	168	167	168	169	170	
B4KK	--	181	184	179	--	--	--	--	--	
B4GK	--	175	179	--	169	158	158	160	162	
B5GK	--	170	173	--	151	151	147	149	147	
H4F	--	185	185	--	--	--	185	185	185	
H4K	--	184	185	184	--	--	182	183	183	
H5K	--	183	183	183	--	--	--	177	175	
C3F	--	--	--	--	178	181	184	184	184	
C4F	--	--	--	169	172	176	179	182	181	
C5F	--	173	167	167	169	172	175	176	176	
C4KR	--	--	--	166	169	171	173	176	170	
C4KF	--	--	182	--	168	163	163	166	162	
C4KM	--	--	165	169	167	170	172	173	169	
X4L	--	--	157	158	157	158	159	160	157	
X3F	--	--	164	164	166	169	171	175	173	
X4F	--	158	158	158	157	159	160	162	160	
X5F	--	--	151	146	142	143	145	144	142	
X4KR	--	--	--	155	158	159	159	159	154	
X4V	--	156	158	153	149	151	154	156	153	
X4KF	--	--	149	150	148	144	146	146	145	
X4KV	--	149	149	142	136	137	137	137	137	
X3KM	--	--	160	160	161	163	164	165	156	
X4KM	143	147	155	150	149	155	154	151	154	
X4G	--	--	152	140	137	139	135	136	138	
X4GK	--	--	149	140	136	141	137	137	140	
P3F	--	148	155	156	151	153	153	151	157	
P4F	140	143	149	147	139	141	141	142	137	
P5F	--	133	139	133	118	124	124	125	127	
P4G	--	140	143	136	123	128	127	128	121	
P5G	--	132	133	123	103	113	109	115	109	
N1L	112	116	129	125	104	113	114	121	119	
N1XL	--	133	132	--	116	116	119	118	115	
N1K	--	160	159	147	--	--	--	144	134	
N1GL	--	114	130	116	99	107	104	101	103	
N1GF	--	--	--	--	--	111	111	114	113	
N1KV	--	--	--	--	--	--	120	126	120	
N1BO	--	169	162	169	--	--	--	--	148	
N2	101	110	117	111	96	94	99	99	93	

See footnotes at end of table.

**Table 12.--Average prices by weeks for representative grades and season averages**  
**--Continued**

Type 11 - 1993 crop

Group and grade	Week ending						Season		
	Oct. 1	Oct. 8	Oct. 15	Oct. 22	Oct. 29	Nov. 5	2/	1993	1992
B3F	187	188	188	187	187	187		187	189
B4F	186	187	187	187	187	187		186	187
B5F	183	186	185	183	185	185		183	183
B3K	185	186	186	186	186	185		185	184
B4K	182	184	183	183	183	183		183	184
B5K	175	176	176	176	175	174		176	181
B6K	165	165	165	168	166	164		167	175
B3KR	184	185	185	185	184	185		184	184
B4KR	180	181	181	180	179	179		182	183
B5KR	172	173	173	169	169	171		174	179
B3KL	182	184	186	--	--	--		179	181
B4KL	173	178	175	176	175	178		174	179
B3KF	178	182	181	180	181	176		181	180
B4KF	171	173	173	173	171	169		173	179
B5KF	161	163	161	161	160	159		162	173
B5KD	151	--	151	150	149	147		161	166
B4KV	164	166	166	164	164	165		164	179
B5KV	154	157	156	156	155	153		155	175
B6KV	144	146	145	147	144	145		144	168
B3KM	182	184	183	183	184	184		182	182
B4KM	177	179	178	178	177	176		177	181
B5KM	171	170	169	168	167	167		169	178
B4KK	170	167	169	174	169	167		177	177
B4GK	162	164	163	165	158	157		163	175
B5GK	150	153	152	156	150	153		152	170
H4F	186	187	187	187	187	186		186	187
H4K	182	184	185	185	184	184		184	185
H5K	178	179	177	179	178	178		179	183
C3F	185	187	--	187	--	--		183	181
C4F	180	183	184	183	182	181		180	179
C5F	174	175	178	175	175	176		175	176
C4KR	175	177	--	175	--	--		173	177
C4KF	167	166	--	--	--	--		165	170
C4KM	173	173	172	177	174	--		171	173
X4L	154	--	--	156	--	--		158	159
X3F	170	176	183	--	171	--		170	169
X4F	156	165	163	160	160	156		159	165
X5F	139	144	142	140	145	140		143	156
X4KR	162	--	--	--	--	--		158	167
X4V	145	--	--	--	--	--		152	153
X4KF	143	145	--	151	138	142		145	165
X4KV	136	145	138	141	134	140		138	147
X3KM	155	--	--	--	165	154		162	161
X4KM	149	159	151	153	149	150		152	154
X4G	141	--	--	--	--	--		139	145
X4GK	138	143	--	--	--	--		139	150
P3F	--	--	--	--	153	--		154	153
P4F	135	136	--	142	147	--		143	150
P5F	124	118	111	128	113	--		128	134
P4G	--	--	--	--	--	--		133	139
P5G	--	--	--	--	--	--		122	118
N1L	110	116	100	124	109	114		118	125
N1XL	115	114	113	118	106	106		117	141
N1K	140	140	141	146	135	136		142	162
N1GL	102	101	102	117	94	--		109	116
N1GF	114	115	118	117	111	112		114	145
N1KV	120	120	126	128	121	118		122	151
N1BO	153	140	--	--	--	--		155	167
N2	92	89	91	91	88	91		97	126

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.  
 2/ No averages shown after Nov. 5 due to limited sales.

Table 13.--Average prices by weeks for representative grades and season averages 1/

Type 12 - 1993 crop

Group and grade	Week ending						
	July 30	Aug. 6	Aug. 13	Aug. 20	Aug. 27	Sep. 3	Sep. 10
B4F	185	185	--	184	185	185	185
B3K	183	184	185	183	182	183	183
B4K	182	184	184	181	181	181	183
B5K	181	183	182	175	175	175	179
B6K	177	181	173	165	--	167	169
B3KR	183	184	185	--	181	182	183
B4KR	182	184	184	182	178	178	181
B5KR	180	184	184	178	170	173	176
B4V	--	--	--	171	174	175	178
B4KL	--	--	--	168	171	171	171
B3KF	181	183	185	--	174	175	176
B4KF	180	183	182	170	170	172	174
B5KF	176	181	179	164	164	164	166
B6KF	170	--	--	160	155	155	157
B5KD	175	175	170	159	156	150	153
B4KV	--	--	160	165	165	164	169
B5KV	--	--	153	159	157	158	161
B6KV	--	--	145	149	151	147	151
B3KM	182	184	183	176	176	178	181
B4KM	182	183	178	172	173	175	177
B5KM	182	181	170	166	170	168	171
B3KK	181	184	185	--	172	173	174
B4KK	182	184	182	171	170	170	172
B5KK	178	179	175	164	164	163	167
B4GK	179	177	156	160	160	159	163
B5GK	--	--	151	155	154	151	156
B6GK	--	--	149	148	139	143	145
H4K	--	184	--	--	--	181	183
H5K	183	182	184	--	--	175	--
C4L	--	--	168	169	175	179	181
C5L	--	166	164	166	171	176	180
C3F	--	--	--	175	176	180	183
C4F	--	--	168	170	173	179	182
C5F	--	--	165	168	171	176	178
C4KR	--	--	163	168	172	174	180
C4V	--	--	164	168	170	170	179
C4KF	--	--	163	166	168	170	173
C4KM	167	163	165	168	170	172	175
C4GK	--	161	159	159	156	158	161
X4L	155	156	159	160	161	164	169
X3F	161	162	164	166	167	173	178
X4F	154	157	159	160	161	165	166
X5F	148	153	153	149	146	152	152
X4KF	--	148	153	150	150	154	154
X4KV	146	149	150	144	141	142	145
X3KM	159	160	161	162	164	166	171
X4KM	153	156	157	155	154	157	161
X5G	--	147	145	137	136	134	130
X4GK	149	151	150	143	144	145	144
P4F	147	150	152	144	140	145	146
P5F	136	141	143	131	120	123	132
P4G	141	145	144	133	125	132	157
N1L	128	135	136	125	106	125	--
N1XL	137	136	142	134	120	119	140
N1K	--	166	--	--	--	144	154
N1GL	123	133	134	122	114	117	134
N1GF	--	--	136	127	115	120	--
N1KV	--	--	135	134	129	132	146
N1BO	167	171	--	--	146	134	--
N2	122	132	127	121	110	101	135

See footnotes at end of tables.

Table 13.--Average prices by weeks for representative grades and season averages 1/  
--Continued

Type 12 - 1993 crop

Group and grade	Week ending								Season	
	Sep. 17	Sep. 24	Oct. 1	Oct. 8	Oct. 15	Oct. 22	Oct. 29	2/	1993	1992
B4F	185	186	187	187	187	187	186		186	187
B3K	185	185	185	186	186	186	186		185	184
B4K	184	184	184	185	184	184	184		184	183
B5K	179	179	179	180	179	178	177		179	181
B6K	167	169	168	170	170	170	165		169	177
B3KR	184	184	184	185	185	186	185		184	184
B4KR	182	183	183	183	182	182	180		182	183
B5KR	175	177	177	177	175	174	171		176	180
B4V	179	182	180	180	--	183	--		178	179
B4KL	176	178	177	176	177	173	--		174	178
B3KF	179	181	181	181	180	179	176		179	182
B4KF	176	176	177	177	174	173	172		175	181
B5KF	169	169	169	167	165	164	163		167	176
B6KF	162	157	160	158	156	155	152		158	173
B5KD	158	154	158	155	156	154	--		163	166
B4KV	170	171	170	171	170	169	168		169	180
B5KV	163	162	164	165	162	163	162		162	177
B6KV	154	150	154	156	154	156	156		153	170
B3KM	182	183	183	185	184	184	184		182	182
B4KM	180	180	181	181	180	179	180		179	180
B5KM	174	176	176	176	173	173	171		173	177
B3KK	177	181	179	182	181	--	--		181	180
B4KK	177	178	176	176	172	171	168		176	178
B5KK	167	168	170	169	167	163	164		168	176
B4GK	164	164	168	170	166	164	164		164	174
B5GK	157	158	157	160	159	159	158		156	170
B6GK	151	144	148	149	145	149	143		147	159
H4K	--	185	185	186	186	186	183		185	184
H5K	178	181	182	182	178	184	--		181	183
C4L	184	184	183	--	187	--	--		176	174
C5L	182	179	172	--	--	--	--		174	169
C3F	185	185	187	186	187	187	--		183	178
C4F	183	181	184	184	186	186	185		179	175
C5F	178	178	176	179	181	176	178		175	170
C4KR	178	174	180	181	186	184	--		176	170
C4V	174	182	175	--	181	181	--		171	168
C4KF	170	170	173	172	174	177	--		170	169
C4KM	177	174	176	180	179	180	177		172	168
C4GK	162	159	162	166	166	158	--		158	160
X4L	175	--	162	--	--	--	--		159	155
X3F	182	166	169	174	--	--	--		167	163
X4F	167	159	158	164	162	157	158		161	157
X5F	149	141	141	145	141	146	138		149	148
X4KF	154	149	146	150	--	142	--		151	151
X4KV	145	140	141	141	140	135	--		145	145
X3KM	179	160	--	--	170	166	--		162	158
X4KM	156	151	147	157	159	153	144		156	153
X5G	142	--	--	139	--	--	--		140	138
X4GK	142	139	137	143	143	148	--		146	146
P4F	141	136	137	137	140	138	132		148	142
P5F	122	127	116	--	116	116	--		135	128
P4G	--	--	--	--	--	128	--		140	131
N1L	117	123	127	--	108	122	109		127	120
N1XL	130	129	129	126	123	116	110		130	133
N1K	158	147	148	154	147	146	137		150	172
N1GL	130	125	--	117	--	140	--		127	119
N1GF	129	133	134	126	129	128	127		127	147
N1KV	149	140	146	141	135	130	128		138	150
N1BO	158	151	151	150	147	140	129		149	167
N2	128	125	120	124	100	104	95		120	121

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.  
2/ No averages shown after Oct. 29 due to limited sales.

Table 14.--Average prices by weeks for representative grades and season averages 1/

Type 13 - 1993 crop

Group and grade	Week ending							
	July 30	Aug. 6	Aug. 13	Aug. 20	Aug. 27	Sep. 3	Sep. 10	Sep. 17
B3F	--	--	--	--	--	186	187	187
B4F	184	--	--	--	184	184	185	185
B5F	--	--	--	178	178	178	179	180
B4FR	--	--	--	--	--	184	184	184
B5FR	--	--	--	179	--	178	177	181
B3K	183	--	--	--	183	183	183	183
B4K	181	181	180	181	181	181	181	181
B5K	175	177	--	174	173	173	174	174
B6K	--	--	--	163	164	164	163	165
B3KR	182	--	--	--	182	182	182	182
B4KR	178	179	--	178	178	177	178	179
B5KR	169	--	--	--	170	169	170	175
B3V	--	--	--	--	--	179	179	181
B4V	--	--	--	176	172	173	174	174
B3KF	--	--	--	--	171	171	174	175
B4KF	173	177	167	168	167	168	169	169
B5KF	162	--	162	160	159	159	160	160
B6KF	--	--	165	150	152	153	151	152
B4KV	--	--	--	--	161	164	163	162
B5KV	--	--	--	153	154	153	154	155
B6KV	--	--	--	142	142	146	148	143
B3KM	180	--	--	176	176	177	178	178
B4KM	176	178	173	172	172	173	174	174
B5KM	--	--	167	165	165	165	167	167
B4KK	--	--	--	165	166	164	165	166
B4G	--	--	--	158	156	157	163	160
B4GK	--	--	160	156	157	156	158	158
B5GK	--	--	147	153	149	150	150	150
B6GK	--	--	136	142	141	134	146	134
H4F	--	--	--	--	--	184	185	185
H5F	--	--	--	--	--	179	178	181
H4K	--	--	--	--	181	181	181	182
H5K	--	--	--	--	173	175	175	176
H6K	--	--	--	--	163	--	165	--
C4F	--	168	168	171	173	176	179	174
C5F	--	162	163	168	169	170	172	171
C4KR	--	--	163	171	172	170	175	--
C4V	--	160	161	165	167	170	168	166
C4KM	--	161	163	167	167	168	168	168
X3F	161	161	162	163	165	166	170	170
X4F	153	154	155	155	154	155	158	153
X5F	147	148	149	145	141	142	143	140
X4V	151	151	151	149	152	150	153	146
X4KF	147	145	147	143	140	140	141	140
X4KV	141	143	143	138	137	133	144	137
X3KM	157	155	157	159	159	156	--	--
X4KM	151	151	152	150	150	149	152	155
X4G	144	145	143	137	136	133	134	--
X5G	137	139	139	133	127	129	128	--
X4GK	143	145	144	142	133	136	136	--
P5F	135	141	141	129	106	123	--	111
P4G	137	142	141	132	121	126	118	--
N1L	133	134	134	120	107	111	--	--
N1XL	--	132	135	121	102	105	107	115
N1K	--	149	--	130	--	135	130	129
N1GL	127	131	128	118	99	108	110	124
N1GF	--	--	--	122	113	122	--	110
N1KV	--	--	--	135	117	122	--	128
N1BO	--	--	--	--	134	133	149	148
N2	122	128	118	101	99	98	98	102

See footnotes at end of table.

**Table 14.--Average prices by weeks for representative grades and season averages 1/  
--Continued**

Type 13 - 1993 crop

Group and grade	Week ending						Season	
	Sep. 24	Oct. 1	Oct. 8	Oct. 15	Oct. 22	Oct. 29 2/	1993	1992
B3F	187	187	187	187	187	187	187	189
B4F	185	185	186	186	186	186	185	187
B5F	180	180	180	181	179	181	179	181
B4FR	184	185	185	184	184	183	184	186
B5FR	178	176	177	177	177	176	177	184
B3K	184	184	185	184	184	184	184	184
B4K	181	181	182	181	181	181	181	183
B5K	174	174	173	173	173	173	173	180
B6K	164	165	163	163	163	163	163	174
B3KR	183	183	183	183	183	182	183	183
B4KR	179	179	179	178	177	177	178	182
B5KR	171	169	167	169	169	167	170	179
B3V	180	180	183	180	--	181	181	180
B4V	175	174	178	174	174	175	174	177
B3KF	175	175	174	177	174	172	174	181
B4KF	170	169	169	168	167	166	169	178
B5KF	161	161	159	157	158	157	159	172
B6KF	153	154	152	149	151	150	152	163
B4KV	163	165	164	164	161	161	163	171
B5KV	156	156	154	154	152	152	154	166
B6KV	149	150	143	147	145	142	145	160
B3KM	179	179	181	181	180	180	179	181
B4KM	174	174	175	174	173	173	173	179
B5KM	167	167	166	166	166	165	166	174
B4KK	166	168	169	165	166	163	166	175
B4G	160	163	164	162	158	158	160	165
B4GK	159	162	162	157	156	158	158	169
B5GK	151	149	152	146	149	146	149	163
B6GK	140	--	147	139	137	136	139	160
H4F	185	186	186	186	186	185	185	187
H5F	179	183	180	--	178	--	179	181
H4K	182	183	183	181	182	182	182	184
H5K	176	175	174	174	175	174	175	181
H6K	164	167	164	167	164	163	165	176
C4F	170	176	180	--	179	174	174	173
C5F	168	166	166	172	165	165	169	167
C4KR	162	166	--	--	174	--	171	168
C4V	--	--	178	--	--	--	166	164
C4KM	167	168	163	168	161	161	166	165
X3F	--	--	--	--	--	--	163	161
X4F	159	153	--	152	152	149	155	154
X5F	144	142	144	--	140	136	145	144
X4V	--	--	--	--	--	--	151	149
X4KF	144	145	141	--	139	134	143	145
X4KV	138	132	138	--	131	131	139	139
X3KM	--	--	--	--	--	--	158	154
X4KM	143	152	--	--	150	141	151	149
X4G	--	--	--	--	--	--	140	140
X5G	128	--	--	--	--	--	135	132
X4GK	158	--	--	--	--	--	141	140
P5F	--	--	--	--	--	--	134	122
P4G	--	--	--	--	--	--	137	129
N1L	103	--	--	--	--	--	126	113
N1XL	121	105	108	--	107	99	118	120
N1K	147	133	136	134	129	129	134	159
N1GL	116	--	--	--	100	--	120	104
N1GF	--	111	--	111	115	110	117	125
N1KV	--	--	122	--	120	117	124	146
N1BO	137	138	138	136	139	123	137	163
N2	120	106	97	100	91	75	104	105

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after Oct. 29 due to limited sales.

**Table 15.--Average prices by weeks for representative grades and season averages 1/**

Type 14 - 1993 crop

Group and grade	Week ending												Season		
	July 23	July 30	Aug. 6	Aug. 13	Aug. 20	Aug. 27	Sep. 3	Sep. 10	Sep. 17	Sep. 24	Oct. 1	Oct. 8	Oct. 15	1993	1992
B4F	--	--	--	184	184	184	184	185	185	185	185	185	185	185	187
B5F	--	--	177	177	178	177	179	180	181	183	182	183	181	181	184
B3K	--	--	--	--	182	183	183	184	185	184	185	185	184	184	186
B4K	--	181	180	180	181	180	181	181	182	183	183	183	182	182	185
B5K	--	173	173	173	174	173	174	175	176	178	178	178	176	177	184
B6K	--	--	--	--	--	165	165	167	169	171	170	170	166	169	181
B3KR	--	--	--	--	--	181	182	183	183	184	183	184	183	183	185
B4KR	177	177	--	176	177	177	178	179	180	181	183	181	178	180	185
B5KR	172	179	--	--	167	170	171	175	173	175	173	172	169	173	184
B3V	--	--	--	--	--	177	178	181	180	183	183	180	179	180	181
B4V	--	--	--	--	171	173	173	174	175	177	176	174	175	174	180
B4KL	--	--	--	--	167	167	168	168	177	179	176	172	--	169	179
B5KL	--	--	--	--	162	161	159	160	159	--	--	--	164	161	175
B3KF	--	--	--	--	170	172	174	178	174	179	177	175	175	175	182
B4KF	--	--	--	168	169	167	170	171	172	176	173	174	171	172	181
B5KF	--	--	--	160	161	160	161	162	165	167	164	166	166	164	179
B6KF	--	--	--	--	157	154	155	157	156	155	156	159	159	157	176
B4KV	--	--	160	161	167	161	161	163	163	164	164	164	162	163	177
B5KV	--	--	153	155	156	156	157	156	158	159	161	162	155	158	175
B6KV	--	--	--	--	149	150	149	148	159	154	156	158	156	154	171
B3KM	--	--	179	176	176	176	177	179	181	182	182	181	180	179	182
B4KM	--	--	172	171	173	172	173	175	176	178	178	177	174	175	181
B5KM	--	--	165	167	168	165	167	167	171	171	171	170	168	168	178
B4KK	--	--	--	--	169	168	170	171	174	--	170	167	--	170	177
B4G	--	--	--	--	162	159	155	155	159	159	152	--	--	159	162
B4GK	--	--	154	160	161	158	157	158	158	159	159	159	159	159	169
B5GK	--	--	148	157	154	153	152	156	156	158	150	157	150	154	164
H4F	--	--	--	--	185	185	185	185	185	185	185	185	185	185	187
H5F	--	--	--	--	--	179	182	184	184	185	182	184	185	183	184
H4K	--	--	--	--	180	181	184	184	184	184	184	184	184	184	186
H5K	--	--	--	173	174	176	182	181	183	182	182	182	181	180	185
H6K	--	--	--	--	166	167	177	176	181	182	176	169	175	181	181
C4L	--	--	168	168	170	170	175	175	--	178	--	177	--	171	170
C5L	--	--	--	164	164	166	170	--	166	164	--	163	--	165	165
C4F	--	--	167	169	171	172	175	179	169	175	--	178	--	172	171
C5F	--	--	165	164	166	166	168	168	167	164	164	167	--	166	166
C4S	--	164	163	161	162	165	158	--	169	155	--	--	--	162	163
C4KM	--	161	164	163	165	167	167	167	163	161	163	162	160	165	164
C4GK	--	--	155	151	147	145	142	140	--	--	--	--	--	148	152
X4L	156	154	154	155	153	154	156	--	--	150	--	149	--	154	153
X5L	--	149	150	149	141	142	138	--	--	141	--	--	--	147	141
X3F	162	161	162	162	163	163	160	160	--	--	--	--	--	162	161
X4F	152	154	155	154	155	156	154	162	149	156	152	152	--	155	154
X5F	141	148	150	148	143	144	140	140	136	155	--	138	138	147	144
X4KF	142	149	150	148	144	141	141	134	135	--	--	--	--	144	147
X4KV	--	145	146	144	134	136	133	133	133	132	131	132	133	140	141
X3KM	153	157	157	158	158	155	151	--	--	147	--	--	--	157	156
X4KM	150	154	153	154	149	149	142	141	141	143	139	142	140	151	149
X5G	--	142	144	142	133	128	125	--	--	--	--	129	--	139	131
X4GK	--	145	147	144	136	131	129	--	--	--	--	134	--	142	139
P4L	143	148	150	146	141	--	--	--	133	--	--	--	--	147	137
P4F	143	148	150	145	141	137	--	132	--	--	--	--	--	147	138
P5F	129	138	144	141	124	--	--	--	--	--	--	--	111	138	114
N1XL	--	141	142	141	127	124	106	106	107	--	--	106	99	133	124
N1K	--	--	--	154	148	147	152	151	152	151	149	140	148	172	
N1GL	128	132	137	133	116	108	113	--	--	--	--	107	--	129	105
N1KV	--	--	--	123	135	127	131	128	134	133	133	122	129	154	
N1XO	--	135	135	138	121	114	110	102	101	107	116	117	--	128	114
N1BO	--	--	--	--	135	140	134	135	141	138	136	139	131	136	161
N2	116	118	132	127	118	113	99	103	103	104	99	98	91	115	106

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.  
No averages shown after Oct. 15 due to limited sales.

**Table 16.--Warehouse charges by states, 1993 crop**

State	Type	Auction fee 1/	Commission on gross sales 1/	Additional charges
Florida	14	15 cents on all piles of 100 pounds or less and 25 cents on all piles over 100 pounds	Percent 2-3/4	Weighing and handling 10 cents per pile on all piles of 100 pounds or less, and 10 cents for each additional 100 pounds.
Georgia	14		2-3/4	
North Carolina	11-13		2-1/2	
South Carolina	13		2-1/2	
Virginia	11	25 cents per pile	2-1/2	Weighing, 10 cents per 100 pounds.

1/ Maximum permitted under State law.

**Table 17.--Average weight per lot, 1988-93 crops**

Crop	Type 11	Type 12	Type 13	Type 14	Types 11-14
	Pounds	Pounds	Pounds	Pounds	Pounds
1988 1/	189	191	193	192	191
1989	198	194	195	197	196
1990	204	202	197	195	200
1991	204	198	197	190	199
1992	207	201	199	199	201
1993	204	203	204	195	202

1/ Maximum allowed was increased from 250 pounds to 275 pounds.

**Table 18.--Tobacco received by the Stabilization Corporation, 1990-93 crops**

Crop	Type 11		Type 12		Type 13	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
1990	1,000 lb.	Percent	1,000 lb.	Percent	1,000 lb.	Percent
1991	29,243	10.3	16,489	5.1	26,378	13.7
1992	20,221	7.1	15,925	5.2	9,551	5.0
1993	20,640	7.4	24,348	7.8	25,934	13.8
	64,857	23.5	46,066	14.8	70,498	37.0

Crop	Type 14		Types 11-14 1/	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
1990	1,000 lb.	Percent	1,000 lb.	Percent
1991	1,981	1.7	74,091	8.1
1992	3,951	3.9	49,647	5.6
1993	10,331	8.5	81,253	9.0
	23,419	20.3	204,840	23.0

1/ Details may not add to totals due to rounding.

Table 19.--Percentage distribution by groups and types, 1989-93 crops 1/

Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
(Type 11)									
1989	--	61.8	1.4	10.2	13.3	10.0	--	2.5	0.8
1990	--	61.5	2.8	5.7	12.5	14.5	--	2.7	0.3
1991	--	58.4	3.8	9.3	14.2	12.1	--	1.9	0.3
1992	--	63.1	4.8	5.8	13.5	11.0	--	1.5	0.3
1993	--	65.2	1.9	6.0	14.0	10.7	--	1.9	0.3
(Type 12)									
1989	--	62.7	0.6	10.6	15.0	6.7	0.1	3.5	0.8
1990	--	65.3	0.8	6.1	13.7	10.9	--	2.8	0.4
1991	--	61.8	2.1	7.3	16.0	9.4	--	3.0	0.4
1992	--	68.1	1.1	6.9	14.6	7.5	--	1.6	0.2
1993	--	64.1	0.5	6.5	17.0	9.2	--	2.6	0.1
(Type 13)									
1989	--	59.3	3.4	9.4	15.6	6.7	--	4.5	1.1
1990	--	59.9	2.0	4.6	14.7	9.7	--	7.9	1.2
1991	--	57.7	4.6	8.8	17.1	5.6	--	5.1	1.1
1992	--	58.3	2.7	10.9	15.9	8.2	--	3.5	0.5
1993	--	65.5	3.3	4.5	16.7	6.1	--	3.5	0.4
(Type 14)									
1989	--	60.8	1.8	9.6	14.4	8.5	--	3.9	1.0
1990	--	54.4	5.2	6.9	15.5	12.1	--	5.4	0.5
1991	--	56.5	5.2	3.7	11.0	7.8	--	13.8	2.0
1992	--	55.4	3.3	6.2	14.5	12.1	--	7.4	1.1
1993	--	56.4	2.4	4.6	16.8	12.4	--	6.9	0.5

1/ Dashes indicate a percentage of less than 0.1.

Table 20.--Percentage distribution by qualities and types, 1989-93 crops 1/

Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
(Type 11)								
1989	--	0.5	21.5	55.4	18.3	1.0	2.5	0.8
1990	--	0.8	16.3	57.8	20.6	1.5	2.7	0.3
1991	--	0.3	23.5	58.7	14.7	0.6	1.9	0.3
1992	--	0.7	33.5	56.3	7.4	0.3	1.5	0.3
1993	--	0.5	18.8	58.9	18.7	0.9	1.9	0.3
(Type 12)								
1989	--	0.1	14.6	59.6	20.1	1.3	3.5	0.8
1990	--	0.2	12.4	54.6	26.3	3.3	2.8	0.4
1991	--	0.2	17.2	59.4	18.6	1.2	3.0	0.4
1992	--	0.1	30.6	55.8	11.0	0.7	1.6	0.2
1993	--	0.1	15.4	60.2	19.7	1.9	2.6	0.1
(Type 13)								
1989	--	0.1	7.4	54.9	26.4	2.9	6.9	1.4
1990	--	0.1	4.7	45.1	34.7	6.3	7.9	1.2
1991	--	0.1	13.7	55.5	22.3	2.2	5.1	1.1
1992	--	0.4	20.7	58.9	15.3	0.7	3.5	0.5
1993	--	0.1	11.6	57.5	24.5	2.4	3.5	0.4
(Type 14)								
1989	--	0.1	7.4	54.9	26.4	2.9	6.9	1.4
1990	--	0.2	10.2	59.0	22.5	2.2	5.4	0.5
1991	--	0.1	4.7	38.7	32.9	7.8	13.8	2.0
1992	--	--	10.5	57.2	22.0	1.8	7.4	1.1
1993	--	0.1	8.0	52.6	28.4	3.5	6.9	0.5

1/ Dashes indicate a percentage of less than 0.1.

**Table 21.--Percentage distribution by colors and types, 1989-93 crops 1/**

Crop Year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K(SF)	G-GK	Nondescript	Misc.
(Type 11)											
1989	6.3	19.8	0.1	26.5	0.1	0.5	0.9	40.4	2.1	2.5	0.8
1990	4.5	26.6	0.3	34.7	0.1	0.6	2.1	24.6	3.5	2.7	0.3
1991	4.2	28.2	0.4	36.9	--	1.1	1.4	23.0	2.6	1.9	0.3
1992	4.3	27.3	1.4	47.8	--	0.9	0.7	14.3	1.5	1.5	0.3
1993	3.8	22.5	0.3	39.9	--	1.1	5.8	21.4	3.0	1.9	0.3
(Type 12)											
1989	5.4	11.9	0.1	20.6	0.7	0.5	0.9	52.6	3.0	3.5	0.8
1990	4.0	13.4	0.1	32.6	0.4	0.6	3.4	36.3	6.0	2.8	0.4
1991	4.3	18.1	0.3	38.8	0.1	0.5	1.3	29.8	3.4	3.0	0.4
1992	6.1	16.5	0.6	45.8	--	0.6	0.9	25.3	2.4	1.6	0.2
1993	3.5	13.8	0.1	33.9	--	1.1	4.9	34.2	5.8	2.6	0.1
(Type 13)											
1989	4.3	20.0	0.1	31.3	0.7	0.9	1.0	32.7	3.4	4.5	1.1
1990	1.9	16.3	0.2	31.7	0.1	1.2	5.8	26.3	7.4	7.9	1.2
1991	3.2	22.3	0.5	37.3	--	1.9	1.2	23.3	4.1	5.1	1.1
1992	3.4	24.7	1.0	36.4	--	2.8	1.0	22.1	4.6	3.5	0.5
1993	1.1	17.7	0.9	43.3	--	2.0	2.5	22.9	5.7	3.5	0.4
(Type 14)											
1989	5.3	19.5	--	27.7	1.0	0.4	2.2	30.7	4.9	6.9	1.4
1990	7.1	19.4	0.1	20.3	0.4	0.6	4.2	33.9	8.1	5.4	0.5
1991	6.6	13.3	--	34.8	--	0.4	3.9	22.2	3.0	13.8	2.0
1992	7.6	18.9	0.2	30.1	0.1	0.7	1.8	27.2	4.9	7.4	1.1
1993	7.4	15.8	0.1	30.5	--	1.3	6.5	25.7	5.3	6.9	0.5

1/ Dashes indicate a percentage of less than 0.1.

**Table 22.--Percentage distribution by groups, qualities, and colors for types 11-14, 1989-93 crops 1/**

(Group)											
Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.		
1989	--	60.8	1.8	9.6	14.4	8.5		3.9	1.0		
1990	--	61.2	2.4	5.8	13.9	11.9	--	4.2	0.6		
1991	--	59.2	3.6	7.6	14.8	9.4	--	4.7	0.7		
1992	--	62.6	2.9	7.2	14.5	9.5	--	2.9	0.4		
1993	--	63.3	1.8	5.6	15.9	9.7	--	3.4	0.3		
(Quality)											
Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor		Nondescript	Misc.		
1989	--	0.2	14.8	56.6	21.8	1.7		3.9	1.0		
1990	--	0.3	11.6	54.5	25.7	3.1		4.2	0.6		
1991	--	0.2	16.7	55.3	20.2	2.2		4.7	0.7		
1992	--	0.3	26.3	56.7	12.6	0.8		2.9	0.4		
1993	--	0.2	14.4	57.8	21.9	2.0		3.4	0.3		
(Color)											
Crop year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K(SF)	G-GK	Nondescript	Misc.
1989	5.4	17.1	0.1	25.7	0.5	0.6	1.0	41.6	3.1	3.9	1.0
1990	4.3	18.7	0.2	30.8	0.2	0.7	3.6	30.7	6.0	4.2	0.6
1991	4.5	21.4	0.4	37.3	--	0.9	1.7	25.2	3.2	4.7	0.7
1992	5.3	21.7	0.9	42.0	--	1.1	1.0	21.7	3.0	2.9	0.4
1993	3.8	17.6	0.3	36.9	--	1.3	5.1	26.5	4.8	3.4	0.3

1/ Dashes indicate a percentage of less than 0.1.

Table 23.--Percentage distribution by grades and types, 1993 crop 1/

Group and grade	1993 crop				Group and grade	1993 crop			
	11	12	13	14		11	12	13	14
Leaf:					Smoking leaf:				
B1L	--	.001	--	--	H3F	.015	.015	.073	.041
B2L	.005	--	--	.004	H4F	.287	.039	.566	.219
B3L	.038	.003	.014	.002	H5F	.053	.014	.158	.123
B4L	.054	.013	.018	.126	H6F	.002	--	--	.005
B5L	.017	.009	.006	.078	H4FR	.041	.006	.108	.008
B6L	--	--	--	.004	H5FR	.017	.004	.065	.003
B1F	.030	.016	.005	.005	H6FR	--	--	--	.001
B2F	.112	.034	.045	.040	H4K	1.090	.188	1.605	.832
B3F	.396	.210	.498	.166	H5K	.381	.150	.634	.918
B4F	1.965	.721	2.341	1.620	H6K	.038	.038	.090	.282
B5F	.322	.048	.507	.568	Total H	1.922	0.454	3.301	2.432
B6F	.001	--	.006	.007	Cutters:				
B1FR	--	--	--	--	C1L	--	--	--	--
B2FR	--	--	--	--	C2L	.002	--	--	--
B3FR	.018	.005	.039	.002	C3L	.047	.017	.041	.022
B4FR	.177	.034	.530	.034	C4L	.277	.153	.080	.183
B5FR	.032	.011	.182	.033	C5L	.202	.198	.047	.220
B6FR	.004	.001	.002	.004	C5LP	.002	.007	--	.001
B5R	--	.002	.002	--	C1F	--	--	--	--
B3K	6.758	4.114	4.310	.848	C2F	.003	.002	--	.001
B4K	17.295	11.872	19.326	11.740	C3F	.174	.200	.144	.029
B5K	5.999	5.771	11.503	10.774	C4F	1.551	.683	.764	.406
B6K	.332	.719	1.437	1.807	C5F	1.757	.897	.777	.560
B3KR	2.671	2.795	1.132	.365	C5FP	.002	.002	--	--
B4KR	4.460	6.605	2.673	2.265	C4KR	.203	.161	.146	.085
B5KR	.457	1.273	.311	.478	C4V	.182	.223	.310	.126
B3V	.040	.036	.110	.093	C4LL	--	--	--	--
B4V	.121	.082	.325	.186	C5LL	--	--	--	--
B5V	.020	.015	.062	.027	C4S	.019	.071	.051	.300
B3S	.030	.010	.041	.061	C4KL	.053	.183	.068	.104
B4S	.012	.019	.007	.085	C4KF	.173	.476	.483	.137
B5S	--	.002	.001	.003	C4KM	1.179	2.548	1.180	2.026
B3KL	.077	.106	.060	.036	C4KK	.009	.125	.059	.029
B4KL	.118	.343	.097	.254	C4G	.044	.119	.135	.108
B5KL	.026	.061	.013	.085	C4GK	.087	.390	.258	.251
B6KL	.002	.002	.001	.005	Total C	5.968	6.456	4.543	4.587
B3KF	.965	.738	.630	.477	Lugs:				
B4KF	5.485	5.206	4.409	3.546	X1L	.001	--	--	--
B5KF	2.508	3.278	3.419	3.391	X2L	.016	.007	.005	.002
B6KF	.155	.461	.417	.416	X3L	.347	.237	.138	.420
B3KD	.005	.001	--	.002	X4L	.515	.645	.292	1.259
B4KD	.114	.061	.033	.054	X5L	.083	.241	.067	.627
B5KD	.176	.161	.090	.151	X1F	.011	--	.012	--
B6KD	.042	.076	.053	.085	X2F	.040	.010	.010	.016
B4KV	2.410	1.136	.654	1.562	X3F	1.820	.813	.895	.837
B5KV	1.847	1.289	.833	2.529	X4F	4.667	3.070	3.897	3.220
B6KV	.254	.324	.194	.719	X5F	1.649	1.469	2.234	1.676
B3KM	2.245	3.239	1.272	1.591	X3KR	.077	.048	.066	.045
B4KM	5.080	8.339	4.773	6.287	X4KR	.098	.114	.056	.034
B5KM	.655	1.703	.857	2.086	X3V	.237	.235	.339	.230
B6KM	.008	.049	.024	.079	X4V	.544	.550	.866	.619
B3KK	.095	.242	.015	.029	X3LL	--	.002	--	.007
B4KK	.196	.738	.203	.129	X4LL	--	.006	--	.001
B5KK	.030	.191	.058	.092	X3S	.009	.025	.052	.096
B6KK	.001	.013	.002	.010	X4S	.001	.010	.028	.072
B4G	.023	.048	.121	.108	X4KL	.039	.058	.039	.096
B5G	.010	.042	.090	.047	X4KF	.251	.320	1.304	.372
B6G	--	.006	.005	.003	X4KV	1.326	2.128	.863	1.745
B5GR	.005	.001	.013	--	X3KM	.544	1.237	.744	1.109
B4GK	.744	1.052	.927	.654	X4KM	1.092	4.074	2.360	2.404
B5GK	.470	.639	.673	.464	X4G	.248	.446	.909	.626
B6GK	.068	.162	.141	.058	X5G	.127	.356	.746	.407
B5GG	.003	.010	.004	.003	X4GK	.252	.895	.715	.851
Total B	65.184	64.140	65.507	56.381	Total X	13.995	16.995	16.637	16.768

See footnotes at end of table.

**Table 23.--Percentage distribution by grades and type , 1993 1/--Continued**

Group and grade	1993 crop				Group and grade	1993 crop			
	11	12	13	14		11	12	13	14
Primings:					Nondescript:				
P2L	.132	.017	.015	.016	N1L	.403	.352	.263	.666
P2L sand	--	--	--	--	N1L sand	--	--	--	--
P3L	.628	.424	.141	.941	N1XL	.405	.213	.729	.828
P3L sand	.001	--	--	.003	N1K	.068	.112	.199	.425
P4L	1.142	1.188	.187	2.810	N1R	.005	.006	.025	.007
P4L sand	.004	.002	--	.027	N1GL	.316	.611	.819	.978
P5L	.243	.307	.035	.716	N1GL sand	--	--	--	--
P5L sand	.001	--	--	--	N1GF	.106	.079	.105	.070
P2F	.149	.013	.043	.023	N1KV	.102	.129	.095	.284
P2F sand	--	--	--	--	N1GR	.009	.005	.027	.001
P3F	1.578	.688	.860	.537	N1GG	.001	--	.004	.003
P3F sand	.002	--	--	.004	N1PO	.053	.291	.225	1.006
P4F	4.537	3.790	2.937	3.794	N1PO sand	--	--	--	--
P4F sand	.029	.006	.019	.085	N1XO	.028	.171	.311	.636
P5F	1.292	1.109	.882	1.776	N1BO	.042	.151	.186	.480
P5F sand	.012	.001	.006	.010	N2	.398	.503	.508	1.511
P4G	.671	1.156	.738	1.056	Total N	2.078	2.745	3.829	7.170
P4G sand	.002	--	.004	.030	No-grade 2/	.141	.121	.333	.274
P5G	.255	.452	.256	.602	No-G-F sand	--	--	--	--
P5G sand	.001	--	.001	.001	W - unsafe	.007	.002	.002	--
Total P	10.679	9.154	6.124	12.430	U - unsound	.166	.033	.054	.229
Mixed:					S - scrap	.001	--	.002	--
M4F	--	.002	--	--					
M5F	--	--	--	--					
M4KR	--	--	--	--					
M4KM	--	.008	.001	--					
M5KM	--	.006	--	.001					
M4GK	--	.004	--	--					
M5GK	--	.001	--	--					
Total M	.000	.021	.001	.001	Grand total	100.000	100.000	100.000	100.000

1/ Dashes indicate a percentage of less than 0.001. Detail may not add to totals due to rounding.

2/ Includes grades No-G and No-G-F.

**Table 24.--Percentage breakdown of marketings by selected groupings, 1993 and 1992 crops**

Grouping	Type 11		Type 12		Type 13		Type 14		11-14	
	1993	1992	1993	1992	1993	1992	1993	1992	1993	1992
Premature to mellow	67.6	81.7	52.4	69.6	65.0	68.3	55.1	57.6	59.9	71.0
Unripe	27.2	15.0	39.1	26.2	25.4	23.1	32.2	29.0	31.6	22.7
Immature	3.0	1.5	5.8	2.4	5.7	4.6	5.3	4.9	4.8	3.0
Nondescript	1.9	1.5	2.6	1.6	3.5	3.5	6.9	7.4	3.4	2.9
No-grade 1/	0.3	0.3	0.1	0.2	0.4	0.5	0.5	1.1	0.3	0.4
Total:	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1/ Includes tobacco defined as decayed, off-type, and nested; also unsafe keeping order and unsound. Also includes grade No-G-F.

**Table 25.--Group averages by maturity, 1993 crop**

GROUP	MATURE TO MELLOW	PREMATURE	UNRIPE	IMMATURE
dollars per hundred pounds				
Leaf (B)	180.99	--	171.01	156.97
Smoking Leaf (H)	181.77	--	--	--
Cutters (C)	174.92	159.98	168.43	154.50
Lugs (X)	156.36	--	150.34	141.30
Primings (P)	--	144.87	--	135.60
Total	176.25	144.87	166.99	145.87
Nondescript	124.49			
No-grade 1/	117.23			

1/ Includes tobacco defined as decayed, off-type, and nested; also includes "W", "U", and scrap.

Table 26...Percentage distribution by grades for all types, 1991-93 crops 1/

Group and grade	Crop of:			Group and grade	Crop of:		
	1991	1992	1993		1991	1992	1993
Wrappers:				B5KM	1.822	.874	1.289
A1L	--	--	--	B6KM	.062	.026	.037
A1F	--	--	--	Total BKM -	11.414	10.666	9.869
Total A	--	--	--	B3KK	.084	.180	.115
Leaf:				B4KK	.521	.449	.358
B1L	.001	.001	.000	B5KK	.181	.085	.098
B2L	.001	.002	.002	B6KK	.007	.004	.007
B3L	.007	.017	.016	Total BKK -	.793	.718	.577
B4L	.066	.077	.047	B4G	.034	.065	.065
B5L	.044	.027	.024	B5G	.022	.014	.042
B6L	.001	--	.001	B6G	.002	.002	.003
Total BL --	.120	---	.124	Total BG --	.058	---	.110
B1F	.005	.018	.016	B5GR	.002	.001	.004
B2F	.024	.049	.062	B4GK	.623	.606	.860
B3F	.443	.592	.314	B5GK	.411	.234	.561
B4F	2.487	4.227	1.576	B6GK	.048	.018	.110
B5F	.993	.691	.314	Total BGK -	1.082	---	1.530
B6F	.010	.004	.003	B5GG	.011	.008	.006
Total BF --	3.962	---	5.581	Total B --	59.138	---	62.563
B1FR	.001	--	--	63.295			
B2FR	.001	--	--	Smoking leaf			
B3FR	.018	.089	.015	H3F	.032	.032	.030
B4FR	.214	.581	.171	H4F	.410	.523	.247
B5FR	.031	.042	.053	H5F	.201	.086	.073
B6FR	.001	.001	.003	H6F	.006	.001	.001
Total BFR --	.266	---	.713	Total HF --	.649	---	.352
B5R	.004	--	.001	H4FR	.045	.119	.036
B3K	4.826	9.572	4.374	H5FR	.019	.018	.019
B4K	14.196	15.056	14.926	H6FR	--	.001	--
B5K	6.784	4.030	7.830	Total HFR -	.064	---	.056
B6K	1.204	.457	.932	H4K	1.398	1.497	.851
Total BK --	27.010	---	29.115	H5K	1.159	.575	.453
B3KR	1.745	4.467	2.000	H6K	.318	.088	.093
B4KR	4.182	5.002	4.407	Total HK --	2.875	---	1.397
B5KR	.873	.570	.694	Total H --	3.588	---	1.805
Total BKR --	6.800	---	10.039	Cutters:			
B3V	.040	.082	.061	C1L	.001	--	--
B4V	.111	.129	.159	C2L	.001	.001	.001
B5V	.027	.017	.027	C3L	.030	.037	.032
Total BV --	.178	---	.228	C4L	.232	.266	.183
B3S	.047	.050	.032	C5L	.310	.273	.175
B4S	.038	.083	.027	Total CL --	.574	---	.391
B5S	.004	.003	.001	C5LP	.018	.021	.003
Total BS --	.089	---	.136	C1F	--	--	--
B3KL	.161	.105	.076	C2F	.003	.005	.002
B4KL	.485	.223	.211	C3F	.144	.250	.150
B5KL	.153	.031	.046	C4F	1.389	1.391	.917
B6KL	.012	.001	.003	C5F	1.648	1.167	1.081
Total BKL --	.811	---	.360	Total CF --	3.184	---	2.150
B3KF	.429	.433	.740	C5FP	.018	.015	.001
B4KF	2.706	1.862	4.839	C4KR	.324	.344	.158
B5KF	1.590	.709	3.086	C4V	.202	.276	.209
B6KF	.204	.063	.349	C4LL	.004	.004	--
Total BKF --	4.929	---	3.067	C5LL	.002	--	--
B3KD	.001	.001	.002	Total CLL -	.006	---	--
B4KD	.065	.036	.071	C4S	.086	.147	.093
B5KD	.144	.094	.150	C4KL	.168	.050	.107
B6KD	.062	.036	.063	C4KF	.198	.087	.321
Total BKD --	.272	---	.167	C4KM	2.446	2.404	1.771
B4KV	.377	.340	1.521	C4KK	.085	.087	.059
B5KV	.705	.312	1.606	C4G	.061	.089	.097
B6KV	.255	.048	.351	C4GK	.276	.224	.245
Total BKV --	1.337	---	.700	Total C --	7.646	---	5.604
B3KM	2.723	3.822	2.260	Lugs:			
B4KM	6.807	5.944	6.283	X1L	.001	.003	--
				X2L	.014	.011	.008
				X3L	.523	.522	.286

See footnotes at end of table

Table 26.--Percentage distribution by grades for all types, 1991-93 crops 1/-Continued

Group and grade	Crop of:			Group and grade	Crop of:		
	1991	1992	1993		1991	1992	1993
X4L	.927	1.097	.651	P4F	3.972	3.603	3.864
X5L	.214	.291	.230	P4F sand	.033	.030	.030
Total XL --	1.679 ----	1.924 ----	1.176	P5F	.909	.759	1.247
X1F	.003	.016	.006	P5F sand	.006	.002	.007
X2F	.030	.067	.020	Total PF --	6.488 ----	5.974 ----	6.181
X3F	1.506	1.708	1.146	P4G	.574	.627	.909
X4F	4.193	3.817	3.749	P4G sand	.002	.011	.007
X5F	1.386	1.083	1.706	P5G	.176	.155	.381
Total XF --	7.118 ----	6.691 ----	6.627	P5G sand	.001	--	.001
X3KR	.125	.158	.060	Total PG --	.753 ----	.793 ----	1.298
X4KR	.057	.143	.084	Total P --	9.306 ----	9.501 ----	9.666
Total XKR --	.282 ----	.301 ----	.143	Mixed:			
X3V	.219	.263	.254	M4F	--	--	.001
X4V	.329	.325	.620	M5F	--	--	--
Total XV --	.548 ----	.588 ----	.874	Total MF --	--	--	.001
X3LL	.002	.005	.002	M4KR	--	--	--
X4LL	.002	.005	.002	M4KM	--	.001	.003
Total XLL --	.004 ----	.010 ----	.004	M5KM	.001	.001	.002
X3S	.028	.114	.038	Total MKM -	.001 ----	.002 ----	.005
X4S	.016	.051	.022	M4GK	.001	.001	.001
Total XS --	.044 ----	.165 ----	.060	M5GK	--	--	.001
X4KL	.087	.032	.056	Total MGK -	.001 ----	.001 ----	.002
X4KF	.215	.072	.492	Total M --	.002 ----	.003 ----	.007
X4KV	.361	.296	1.572	Nondescript			
X3KM	1.268	1.338	.906	N1L	.302	.358	.409
X4KM	2.280	2.159	2.519	N1L sand	.002	--	--
Total XKM --	3.548 ----	3.497 ----	3.425	N1XL	.386	.247	.482
X4G	.299	.339	.504	N1K	.563	.139	.172
X5G	.162	.157	.367	N1R	.006	.002	.009
Total XG --	.461 ----	.496 ----	.871	N1GL	.240	.217	.625
X4GK	.496	.403	.653	N1GL sand	--	--	--
Total X --	14.843 ----	14.475 ----	15.952	N1GF	.043	.019	.091
Primings:				N1KV	.166	.030	.143
P2L	.052	.063	.052	N1GR	.003	.001	.010
P2L sand	--	--	--	N1GG	.001	.001	.002
P3L	.735	.874	.529	N1PO	.559	.670	.336
P3L sand	.006	.002	.001	N1PO sand	--	--	--
P4L	1.075	1.515	1.285	N1XO	.640	.350	.238
P4L sand	.012	.009	.007	N1BO	.823	.320	.184
P5L	.184	.271	.312	N2	1.001	.583	.656
P5L sand	.001	--	--	Total N --	4.735 ----	2.937 ----	3.358
Total PL --	2.065 ----	2.734 ----	2.187	No-grade 2/	.742	.443	.313
P2F	.046	.127	.063	Grand total:	100.000	100.000	100.000
P2F sand	--	--	--				
P3F	1.520	1.448	.970				
P3F sand	.002	.005	.001				

1/ Dashes indicate a percentage of less than 0.001. Detail may not add to totals due to rounding.

2/ Includes tobacco defined as decayed, off-type, nested, unsafe keeping order, and unsound. Also includes grade No-G-F sand, which totaled 0.000 percent in 1993.

Table 27.--Average price by grade groups and types, 1993 and 1992 crops

1993 crop							1992 crop						
Group							Group						
Type	B	H	C	X	P	N	B	H	C	X	P	N	
11	178	183	175	155	142	114	183	185	177	163	148	132	
12	178	183	172	155	145	129	182	184	170	155	140	134	
13	175	181	167	149	143	120	181	183	166	150	137	120	
14	174	181	164	150	144	128	182	185	164	150	133	117	
11-14	177	182	171	153	144	124	182	185	170	155	141	124	

"The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-5881 (voice) or (202) 720-7808 (TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, DC, 20250, or call (202) 720-7327 (voice) or 720-1127 (TDD). USDA is an equal employment opportunity employer."